

The `tugboat` package*

The *TUGboat* team

2025-10-27

Contents

1 Document preambles	2
2 Introduction	2
2.1 Summary of control sequences	2
3 L^AT_EX 2_ε TUGboat class file	6
3.1 Setup and options	6
3.2 Resetting at start of paper	10
3.3 Helpful shorthands (common code with Plain styles)	11
3.4 Abbreviations and logos	12
3.5 General typesetting rules	17
3.6 Utility registers and definitions	18
3.7 Ragged right and friends	20
3.8 Assorted user-level markup	21
3.9 Reviews	25
3.10 Dates, volume and issue numbers, etc.	26
3.11 Page dimensions, glue, penalties, etc.	29
3.12 Messing about with the L ^A T _E X logo	30
3.13 Authors, contributors, addresses, signatures	32
3.14 Article title	38
3.15 Section titles	39
3.16 Section headings	43
3.17 Appendices	46
3.18 References	47
3.19 Title references	47
3.20 Float captions	49
3.21 Size changing commands	50
3.22 Lists and other text inclusions	51
3.23 Some fun with <code>verbatim</code>	52
3.24 Bibliography	54
3.25 Registration marks	57
3.26 Running headers and footers	57
3.27 Output routine	60
3.28 Font-related definitions and machinery	60

*This file has version number v2.35, last revised 2025-10-27

3.29 Editor's notes and other footnotes	61
3.30 Initialization	62
4 L^AT_EX 2_ε proceedings class (no longer used)	63
4.1 Proceedings titles	65
4.2 Section divisions	69
5 Plain T_EX styles	70
6 The L^AT_EX 2_ε compatibility-mode style files	70

1 Document preambles

```

1 <ltugboatcls | ltugproccls | ltugcomm>\NeedsTeXFormat{LaTeX2e}[1994/12/01]
2 <*dtx>
3 \ProvidesFile           {tugboat.dtx}
4 </dtx>
5 <ltugboatcls>\ProvidesClass {ltugboat}
6 <ltugproccls>\ProvidesClass {ltugproc}
7 <ltugboatsty>\ProvidesPackage{ltugboat}
8 <ltugprocsty>\ProvidesPackage{ltugproc}
9 <ltugcomm>  \ProvidesPackage{ltugcomm}
10           [2025-10-27 v2.35
11 <ltugboatcls>           TUGboat journal class%
12 <ltugproccls>          TUG conference proceedings class%
13 <ltugboatsty | ltugprocsty> TUG compatibility package%
14 <ltugcomm>             TUGboat 'common macros' package%
15 <*dtx>
16                       TUG macros source file%
17 </dtx>
18 ]

```

2 Introduction

This file contains all the macros for typesetting *TUGboat* with both plain T_EX and L^AT_EX 2_ε.

2.1 Summary of control sequences

Abbreviations. Just a listing with indications of expansion where that may not be obvious. For full definitions, see real code below (Section 3.4).

<code>\AllTeX</code>	(L ^A)T _E X
<code>\AMS</code>	American Mathematical Society
<code>\AmSTeX</code>	
<code>\aw</code>	A-W (abbreviation for Addison-Wesley)
<code>\API</code>	
<code>\AW</code>	Addison-Wesley
<code>\BibTeX</code>	
<code>\CandT</code>	Computers & Typesetting
<code>\ConTeXt</code>	ConT _E Xt

<code>\Cplusplus</code>	C++
<code>\DTD</code>	
<code>\DVD</code>	
<code>\DVI</code>	
<code>\DVIPDFMx</code>	DVIPDFM <i>x</i>
<code>\DVItοVDU</code>	DVItοVDU
<code>\ECMA</code>	
<code>\EPS</code>	
<code>\eTeX</code>	ε -T _E X
<code>\ExTeX</code>	ε_X T _E X
<code>\Ghostscript</code>	
<code>\Hawaii</code>	Hawai'i
<code>\HTML</code>	
<code>\ISBN</code>	ISBN
<code>\ISO</code>	
<code>\ISSN</code>	ISSN
<code>\JTeX</code>	
<code>\JoT</code>	The Joy of T _E X
<code>\LaTeX</code>	
<code>\LyX</code>	
<code>\macOS</code>	mac OS
<code>\MacOSX</code>	Mac OS X
<code>\MathML</code>	
<code>\Mc</code>	M with raised c
<code>\MF</code>	METAFONT
<code>\mf</code>	METAFONT
<code>\MFB</code>	The Metafontbook
<code>\MP</code>	METAPOST
<code>\mp</code>	MetaPost (in text only: still ‘ \mp ’ in math)
<code>\OMEGA</code>	Omega ‘logo’ (Ω)
<code>\OCP</code>	Omega compiled process
<code>\OOXML</code>	
<code>\OTP</code>	Omega translation process
<code>\mtex</code>	multilingual T _E X
<code>\NTS</code>	New Typesetting System
<code>\pcMF</code>	pcMF
<code>\PCTeX</code>	
<code>\pcTeX</code>	
<code>\Pas</code>	Pascal
<code>\PiCTeX</code>	
<code>\plain</code>	plain (in typewriter font)
<code>\POBox</code>	P. O. Box
<code>\PS</code>	PostScript (with hyphenation)
<code>\SC</code>	Steering Committee
<code>\SGML</code>	SGML
<code>\SliTeX</code>	
<code>\slMF</code>	Metafont, slanted: deprecated: use <code>\textsl</code> instead
<code>\stTeX</code>	T _E X for the Atari ST
<code>\SVG</code>	

<code>\TANGLE</code>	
<code>\TB</code>	The \TeX book
<code>\TeX</code>	(Although nearly every package defines this, most, including plain, are missing the spacefactor adjustment)
<code>\TeXhax</code>	
<code>\TeXMaG</code>	(defunct)
<code>\TeXtures</code>	
<code>\TeXXeT</code>	
<code>\Thanh</code>	
<code>\TFM</code>	TFM
<code>\TUB</code>	<i>TUGboat</i>
<code>\TUG</code>	\TeX Users Group
<code>\UNIX</code>	
<code>\VAX</code>	
<code>\VnTeX</code>	
<code>\VorTeX</code>	
<code>\XeT</code>	
<code>\XeTeX</code>	reflected and lowered first ‘E’
<code>\XeLaTeX</code>	with extra space before ‘L’
<code>\XML</code>	
<code>\WEB</code>	
<code>\WEAVE</code>	
<code>\WYSIWYG</code>	

Macros for things that are slightly more significant.

<code>\NoBlackBoxes</code>	turns off marginal rules marking overfull boxes
<code>\BlackBoxes</code>	turns them back on
<code>\newline</code>	horizontal glue plus a break
<code>\ifundefined#1</code>	checks argument with <code>\csname</code> against <code>\relax</code>
<code>\topsmash</code>	smashes above baseline (from AMSTeX)
<code>\botsmash</code>	smashes below baseline (from AMSTeX)
<code>\smash</code>	smashes both (from plain)
<code>\ulap</code>	lap upwards
<code>\dlap</code>	lap downwards
<code>\xlap</code>	reference point at center horizontally; 0 width
<code>\ylap</code>	reference point at center vertically; 0 height, depth
<code>\zlap</code>	combination <code>\xlap</code> and <code>\ylap</code>
<code>\basezero</code>	to avoid insertion of <code>baselineskip</code> and <code>lineskip</code> glue
<code>\nullhrule</code>	empty <code>\hrule</code>
<code>\nullvrule</code>	empty <code>\vrule</code>
<code>\makestrut[#1;#2]</code>	ad hoc struts; #1=height, #2=depth
<code>\today</code>	today’s date
<code>\SetTime</code>	converts <code>\time</code> to hours, minutes
<code>\now</code>	displays time in hours and minutes
<code>\Now</code>	shows current date and time
<code>\ifPrelimDraft</code>	flag to indicate status as preliminary draft

<code>\rtitlex</code>	<i>TUGboat</i> volume and number info for running head
<code>\midrtitlex</code>	information for center of running head
<code>\rtitlenexttopage</code>	next to page number in running head
<code>\HorzR@gisterRule</code>	pieces of registration marks ('trimmarks')
<code>\DownShortR@gisterRule</code>	
<code>\UpShortR@gisterRule</code>	
<code>\ttopregister</code>	top registration line with 'T' in center
<code>\tbotregister</code>	bottom registration line with inverted 'T' in center
<code>\topregister</code>	register actually used
<code>\botregister</code>	
<code>\raggedskip</code>	parameters used for ragged settings
<code>\raggedstretch</code>	
<code>\raggedparfill</code>	
<code>\raggedspaces</code>	
<code>\raggedright</code>	
<code>\raggedleft</code>	
<code>\raggedcenter</code>	
<code>\normalspaces</code>	
<code>\raggedbottom</code>	
<code>\bull</code>	square bullet
<code>\cents</code>	'cents' sign
<code>\Dag</code>	superscripted dagger
<code>\careof</code>	c/o
<code>\sfrac</code>	slashed fraction (arguments optionally separated by a slash)
<code>\cs</code>	control sequence name <code>\cs{name}→\name</code>
<code>\meta</code>	meta-argument name <code>\meta{name}→{name}</code>
<code>\dash</code>	en-dash surrounded by thinspaces; only breakable AFTER
<code>\Dash</code>	em-dash, as above
<code>\hyph</code>	permit automatic hyphenation after an actual hyphen
<code>\slash</code>	'breakable' slash
<code>\nth</code>	for obtaining '1 st ', '2 nd ', '3 rd ', etc.
<code>\tubissue</code>	gets \TUB followed by volume and issue numbers
<code>\xEdNote</code>	Editor's Note:
<code>\Review:</code>	Review: (for title of book review article)
<code>\reviewitem</code>	begin data for item being reviewed
<code>\revauth</code>	with one argument, author(s) of item being reviewed
<code>\revtitle</code>	with one argument, title of ...
<code>\revpubinfo</code>	with one argument, other info pertaining to ...
<code>\endreviewitem</code>	end data for item being reviewed
<code>\titleref</code>	one argument, format title as straight text (slanted, frenchspacing)

<code>\Input</code>	<code>\input</code> with some other bookkeeping for case where multiple articles are put together
<code>\TBremark</code>	reminder to <i>TUGboat</i> editorial staff
<code>\TBEEnableRemarks</code>	enable <code>\TBremarks</code> (normally suppressed)
<code>\pagexref</code>	used to write out page numbers to screen and external files
<code>\pagexrefON</code>	
<code>\pagexrefOFF</code>	
<code>\xrefto</code>	used for symbolic cross-reference to other pages in <i>TUGboat</i>
<code>\xreftoON</code>	
<code>\xreftoOFF</code>	
<code>\TBdriver</code>	marks code which only takes effect when articles are run together in a driver file
<code>\signaturemark</code>	items for signatures
<code>\signaturewidth</code>	

3 L^AT_EX 2_ε TUGboat class file

3.1 Setup and options

Occasionally we need to do different things when running under traditional (pdf)latex or a native Unicode engine. Since we don't need any fancier distinctions, instead of reading the `iftex` or another package, do the test directly.

```

19 <*common>
20 \newif\ifTBunicodeengine
21 \ifx\Umathchardef\@thisisundefined % not (xetex|luatex)
22   \TBunicodeenginefalse
23 \else
24   \TBunicodeengine>true
25 \fi
26 </common>

```

Check for reloading. Hmm...Does this happen with L^AT_EX 2_ε classes? Probably, in fact, as well that it doesn't, since the `\tugstyinit` referenced here doesn't exist; however, it's possible that we might need a similar mechanism in the future, so we retain its skeleton, without fleshing out the `\tugstyinit` bones.

```

27 <*tugboatcls>
28 \csname tugstyloaded@\endcsname
29 \def\tugstyloaded@{\tugstyinit\endinput}

```

Acquire a name for this class if we don't already have one (by virtue of having been loaded by `tugproc.cls`). This name will be used in error messages and the like.

```

30 \providecommand{\@tugclass}{1tugboat}

```

Errors/warnings/information messages — if we're using L^AT_EX 2_ε we can use the `\Class*` commands. `\tbdebug` is different from all the others, intended for temporary debugging messages (hence the all-lowercase name); they're started with `***` at the beginning of a line to make them stand out, and be parsable, e.g. by `texfot(1)`.

```

31 \def\TBError{\ClassError{\@tugclass}}
32 \def\TBWarning{\ClassWarning{\@tugclass}}

```

```

33 \def\TBWarningNL{\ClassWarningNoLine{\@tugclass}}
34 \def\TBInfo{\ClassInfo{\@tugclass}}
35 \def\tbdebug#1{\message{^^J*** #1}}

```

Unfortunately, L^AT_EX's `\loggingall` does not turn off `tracingonline`. And microtype outputs useless verbose expansions to the terminal after `\loggingall`. So make our own:

```

36 \def\tbloggingall{\loggingall \tracingonline=0 }
    Class options: draft vs. preprint vs. final.
37 \DeclareOption{draft}{% [draft], the default
38 % If the user loads hyperref, avoid passing on the global draft option
39 % (which would remove all links in the pdf).
40 \PassOptionsToPackage{final}{hyperref}
41 %
42 \AtEndOfClass{%
43   \setcounter{page}{901}%
44   \BlackBoxes
45   \def\MakeRegistrationMarks{}%
46   \PrelimDrafttrue
47 }%
48 }
49
50 \newif\ifpreprint
51 \def\preprint{\preprinttrue} % [preprint], hardly used
52 \DeclareOption{preprint}{%
53   \preprinttrue
54 }
55
56 \newif\iftubfinaloption % [final], manually inserted by us for processing
57 \DeclareOption{final}{%
58   \tubfinaloptiontrue
59   \AtEndOfClass{%
60     % Insert draft date into the header even with [final], if we are not
61     % doing a production run. (|tugboat.dates| sets up page numbers
62     % above 900 in such pseudo-draft mode.) We use [final] in the first
63     % place for this case because draft vs. final can change page
64     % layout, wrt registration marks, etc. (Not good, but too painful to
65     % change at this late date.)
66     \ifnum\value{page}>900 \PrelimDrafttrue \else \PrelimDraftfalse \fi
67     \@tubrunningfull
68   }%
69 }

```

We want to use `hyperref`'s `\texorpdfstring`, e.g., in the `draft` option above. If `hyperref` is not loaded, define our own trivial fallback to expand to the T_EX (first) argument.

Similarly, disable and more if we have `hyperref`, so section titles using them don't cause useless warnings.

```

70 \AtBeginDocument{%
71   \ifx\undefined\texorpdfstring
72     \DeclareRobustCommand{\texorpdfstring}[2]{#1}%
73   \fi
74   %

```

```

75 \ifx\undefined\pdfstringdefDisableCommands\else
76   \pdfstringdefDisableCommands{%
77     \let\acro\relax
78     \let\origDash=\Dash \def\Dash{\texorpdfstring{\origDash}{--}}%
79     % lots more could/should be added.
80   }%
81 \fi
82 }

```

TUGboat uses only 10pt for the main text.

```

83 \DeclareOption{11pt}{%
84   \TBWarning{The \@tugclass\space class only supports 10pt fonts:
85     \MessageBreak option \CurrentOption\space ignored}%
86 }
87 \DeclareOption{12pt}{\csname ds@11pt\endcsname}

```

Similarly, ignore one/two-side options.

```

88 \DeclareOption{oneside}{\TBWarning{Option \CurrentOption\space ignored}}
89 \DeclareOption{twoside}{\ds@oneside}

```

There are these people who seem to think `tugproc` is an option rather than a class... (Note that it's already been filtered out if we were calling from `ltugproc`.)

```

90 \DeclareOption{tugproc}{%
91   \TBWarning{Option \CurrentOption\space ignored: use class ltugproc
92     instead of \@tugclass}%
93 }

```

Option `rawcite` (the default) specifies the default citation mechanism (as built-in to L^AT_EX); option `harvardcite` specifies the author-date citation mechanism defined in section 3.24 below.

```

94 \DeclareOption{rawcite}{\let\if@Harvardcite\iffalse}
95 \DeclareOption{harvardcite}{\let\if@Harvardcite\iftrue}

```

Option `extralabel` (the default) specifies that the publication years of two successive references with otherwise identical labels will be tagged with distinguishing letters; option `noextralabel` causes those letters to be suppressed. Note that (a) no two references will in any case have the same labels in the default (plain) `rawcite` setup, and that (b) the distinguishing letters appear in the labels themselves; the reader can work out the correspondence one with the other...

```

96 \DeclareOption{extralabel}{\let\UseExtraLabel\@firstofone}
97 \DeclareOption{noextralabel}{\let\UseExtraLabel\@gobble}

```

The section-numbering style, so that we can allow the same heading layout as in the plain macros.

```

98 \DeclareOption{numbersec}{\let\if@numbersec\iftrue}
99 \DeclareOption{nonumber}{\let\if@numbersec\iffalse}

```

Minimal running headers/footers contain just the *TUGboat* volume/issue identification and page numbers. ‘`runningfull`’ is the default, and includes title and author. ‘`runningoff`’ makes both headers and footers empty.

```

100 \DeclareOption{runningoff}{\AtEndOfClass{\@tubrunningoff}}
101 \DeclareOption{runningminimal}{\AtEndOfClass{\@tubrunningminimal}}
102 \DeclareOption{runningfull}{\AtEndOfClass{\@tubrunningfull}}

```


Usually we want to print the doi if [final], else not. But sometimes we want to omit it even if [final], namely when we're posting a review or other item early.

```
103 \newif\iftubomitdoioption
104 \DeclareOption{omitdoi}{%
105   \tubomitdoioptiontrue
106 }
```

`\iftubtwocolumn` Occasionally (tb107jackowski, and past conference preprints), we need the option `onecolumn`. For alternative approaches to one-column articles, see tb92hagen-euler and tb78milo.

```
107 \newif\iftubtwocolumn \@tubtwocolumntrue
108 \DeclareOption{onecolumn}{\@tubtwocolumnfalse}
```

`\ifsecondcolstart` Occasionally, we need to start an article in the second column of a page, due to splicing with a previous article. Let's try declaring that. Then, before `\maketitle`, we'll force the move to the second column.

And sometimes we need to add space at the top of that second column (e.g., tb136lettre); there's no way to intervene in the article source, so define a hook `\tubsecondcolstartextra`.

```
109 \newif\iftubsecondcolstart
110 \DeclareOption{secondcolstart}{\tubsecondcolstarttrue}
111 \let\tubsecondcolstartextra\relax
```

Any other options, we pass on to `article.cls` before we load it:

```
112 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
```

Request default options (draft mode, standard citation, numbered sections, etc.), process all options, and then get the base document class on top of which we reside, namely `article`. Always call `article` with the `twoside` option, since we want the ability to have odd/even headers/footers.

```
113 \ExecuteOptions{draft,extralabel,numbersec,rawcite,runningminimal}
114 \ProcessOptions
115 \LoadClass[twoside]{article}
```

Various fonts used throughout. Some effort has been made to suppress these things with explicit sizes in the macro name (`\tensl` is an example below), but keeping in step with the documentation is one thing that restricts such a move.

```
116 \def\sectitlefont{\fontfamily\sfdefault\fontseries{bx}\fontshape{n}%
117   \fontsize\@xvipt\stbaselineskip\selectfont}
118 \def\tensl{\fontseries{m}\fontshape{sl}\fontsize\@xpt\@xipt
119   \selectfont}
```

This font selection command is used *only* for the 'Editor's Note' introduction to notes; sadly it makes explicit reference to CMR, and Barbara Beeton has agreed that the reference may be constructed to use the current family such that, if no upright italic is defined, ordinary italics are used. A project for later...

```
120 \ifTBunicodeengine
121   % there is no "LM unslanted" in OpenType, so use the standard cmu
122   % scaled for the current text size. Not worth more effort.
123   \def\EdNoteFont{\font\ednotefont = cmu10 at 1em }
124 \else % traditional engine:
```

```

125 \def\EdNoteFont{\fontfamily{cmr}\fontseries{m}\fontshape{ui}\selectfont}
126 \fi
127 </ltugboatcls>

```

If Ulrik Vieth's `mflogo.sty` is around, we'll use it. Otherwise (pro tem, at least) we'll warn the user and define the absolute minimum of machinery that *TUGboat* requires (that which was used prior to the invention of L^AT_EX 2_ε).

```

128 <*common>
129 \IfFileExists{mflogo.sty}%
130   {\RequirePackage{mflogo}}%
131 <!!tugcomm> {\TBWarning
132 <tugcomm>   {\PackageWarning{ltugcomm}
133     {Package mflogo.sty not available --\MessageBreak
134       Proceeding to emulate mflogo.sty}
135   \DeclareRobustCommand{\logofamily}{%
136     \not@math@alphabet\logofamily\relax
137     \fontencoding{U}\fontfamily{logo}\selectfont}
138   \DeclareTextFontCommand{\textlogo}{\logofamily}
139   \def\MF{\textlogo{META}\-\textlogo{FONT}\@}
140   \def\MP{\textlogo{META}\-\textlogo{POST}\@}
141   \DeclareFontFamily{U}{logo}{}
142   \DeclareFontShape{U}{logo}{m}{n}{%
143     <8><9>gen*logo%
144     <10><10.95><12><14.4><17.28><20.74><24.88>logo10%
145   }{}
146   \DeclareFontShape{U}{logo}{m}{sl}{%
147     <8><9>gen*logosl%
148     <10><10.95><12><14.4><17.28><20.74><24.88>logosl10%
149   }{}
150   \DeclareFontShape{U}{logo}{m}{it}{%
151     <->ssub*logo/m/sl%
152   }{}%
153 }

```

3.2 Resetting at start of paper

`\ResetCommands` We store a set of commands that should be executed at the start of each paper, `\AddToResetCommands` before any paper-specific customisation. These commands (stored in the token register `\ResetCommands`) include things such as resetting section and footnote numbers, re-establishing default settings of typesetting parameters, and so on. The user (or more typically, editor) may execute the commands by using the command `\StartNewPaper`. Things I've not yet thought of may be added to the list of commands, by

```

154 \newtoks\ResetCommands
155 \ResetCommands{%
156   \setcounter{part}{0}%
157   \setcounter{section}{0}%
158   \setcounter{footnote}{0}%
159   \authornumber\z@
160 }
161 \newcommand{\AddToResetCommands}[1]{%
162   \AddToResetCommands\expandafter{\AddToResetCommands#1}%
163 }

```

3.3 Helpful shorthands (common code with Plain styles)

`\makeescape`, `\makecomment` allow users to change the category code of a single character a little more easily. These require that the character be addressed as a control sequence: e.g., `\makeescape\/` will make `/` an escape character.

```
164 <!!latex>
165 \def\makeescape#1{\catcode'#1=0 }
166 \def\makebgroup#1{\catcode'#1=1 }
167 \def\makeegroup#1{\catcode'#1=2 }
168 \def\makemath #1{\catcode'#1=3 }
169 </!!latex>
170 <*latex>
171 \def\makeescape#1{\catcode'#1=\z@}
172 \def\makebgroup#1{\catcode'#1=\@ne}
173 \def\makeegroup#1{\catcode'#1=\tw@}
174 \def\makemath #1{\catcode'#1=\thr@@}
175 </latex>
176 \def\makealign #1{\catcode'#1=4 }
177 \def\makeeol #1{\catcode'#1=5 }
178 \def\makeparm #1{\catcode'#1=6 }
179 \def\makesup #1{\catcode'#1=7 }
180 \def\makesub #1{\catcode'#1=8 }
181 \def\makeignore#1{\catcode'#1=9 }
182 \def\makespace #1{\catcode'#1=10 }
183 \def\makeletter#1{\catcode'#1=11 }
184 \chardef\other=12
185 \let\makeother\@makeother
186 \def\makeactive#1{\catcode'#1=13 }
187 \def\makecomment#1{\catcode'#1=14 }
```

`\savecat#1` and `\restorecat#1` will save and restore the category of a given character. These are useful in cases where one doesn't wish to localize the settings and therefore be required to globally define or set things.

```
188 \def\savecat#1{%
189   \expandafter\xdef\csname\string#1savedcat\endcsname{\the\catcode'#1}}
190 \def\restorecat#1{\catcode'#1=\csname\string#1savedcat\endcsname}
191 <!!latex>\savecat \@
192 <!!latex>\makeletter \@
```

`\SaveCS#1` and `\RestoreCS#1` save and restore 'meanings' of control sequences. Again this is useful in cases where one doesn't want to localize or where global definitions clobber a control sequence which is needed later with its 'old' definition.

```
193 \def\SaveCS#1{\expandafter\let\csname saved@@#1\expandafter\endcsname
194   \csname#1\endcsname}
195 \def\RestoreCS#1{\expandafter\let\csname#1\expandafter\endcsname
196   \csname saved@@#1\endcsname}
```

To distinguish between macro files loaded

```
197 \def\plaintubstyle{plain}
198 \def\largetubstyle{latex}
```

Control sequences that were first defined in L^AT_EX 2_ε of 1995/06/01 (or later), but which we merrily use. Only define if necessary:

```

199 \providecommand\hb@xt@\hbox to
200 \providecommand\textsuperscript[1]{\ensuremath{\m@th
201             ^{\mbox{\fontsize\sf@size\z@
202             \selectfont #1}}}}

```

(Note that that definition of `\textsuperscript` isn't robust, but probably doesn't need to be. . . What's more, it doesn't appear in the mythical 2.09 version of the package.)

We end up wanting this fairly often, and L^AT_EX removed `\line`.

```

203 \def\tubline{\hbox to \hsize}

```

3.4 Abbreviations and logos

Font used for the METAFONT logo, etc.

```

204 \DeclareRobustCommand{\AllTeX}{%
205   \texorpdfstring{(\La\kern-.075em)\kern-.05emTeX}{(La)TeX}}
206 \def\AMS{American Mathematical Society}
207 \def\Ams{\mathcal{A}$\kern-.1667em\lower.5ex\hbox
208   {\mathcal{M}$}\kern-.125em$\mathcal{S}$}
209 \def\AmSLaTeX{\AmS-\LaTeX}
210 \def\AmSTeX{\AmS-\TeX}
211 \def\ANSI{\acro{ANSI}}
212 \def\API{\acro{API}}
213 \def\ASCII{\acro{ASCII}}
214 \def\aw{\acro{A\kern.04em\raise.115ex\hbox{-}W}}
215 \def\AW{Addison\kern.1em-\penalty\z@\hskip\z@skip Wesley}
216 %
217 % make \BibTeX work in slanted contexts too; it's common in titles, and
218 % especially burdensome to hack in .bib files.
219 \def\Bib{%
220   \ifdim \fontdimen1\font>0pt
221     B{\SMC\SMC IB}%
222   \else
223     B\textsc{ib}%
224   \fi
225 }
226 \def\BibLaTeX{\texorpdfstring{\Bib-\kern.02em \LaTeX}{BibLaTeX}}
227 \def\BibTeX{\texorpdfstring{\Bib-\kern-.08em \TeX}{BibTeX}}
228 % no good way to determine bold font, and we want to lose the kern, too:
229 % (we \let BibTeX to this in maketitle)
230 \def\bfBib{B{\SMC\SMC IB}}
231 \def\bfBibTeX{\texorpdfstring{\bfBib\TeX}{BibTeX}}
232 \def\bfBibLaTeX{\texorpdfstring{\bfBib\LaTeX}{BibLaTeX}}
233 %
234 \def\BSD{\acro{BSD}}
235 \def\CandT{\textsl{Computers \& Typesetting}}
236 % must not define \CJK, because the CJK package does.

```

We place our `\kern` after `\-` so that it disappears if the hyphenation is taken:

```

237 \def\ConTeXt{\texorpdfstring{C\kern-.0333emon-\kern-.0667em\TeX\kern-.0333emt}
238   {ConTeXt}}
239 \def\CMkIV{\ConTeXt\ \MkIV}
240 \def\Cplusplus{C\plusplus}
241 \def\plusplus{\raisebox{.7ex}{$_{++}$}}

```

```

242 % consider rm vs. bold + tb139may-automata.ltx
243 \def\CPU{\acro{CPU}}
244 \def\CSczabbr{\ensuremath{\cal C}\kern-.1667em\lower.5ex\hbox{\cal S}}
245 \def\CSS{\acro{CSS}}
246 \def\CSTUG{\CSczabbr\kern.05em\acro{TUG}}
247 \def\CSV{\acro{CSV}}
248 \def\CTAN{\acro{CTAN}}
249 \def\DTD{\acro{DTD}}
250 \def\DTK{\acro{DTK}}
251 \def\DVD{\acro{DVD}}
252 \def\DVI{\acro{DVI}}
253 \def\DVIPDFMx{\acro{DVIPDFM}$x$}
254 \def\DVitoVDU{DVito\kern-.12em VDU}
255 \def\ECMA{\acro{ECMA}}
256 \def\EPS{\acro{EPS}}
257 % no line break at this hyphen please, and try to get a bold \varepsilon.
258 \def\TUBdefaulteTeX{\ensuremath{\varepsilon}\mbox{-}\kern-.125em\TeX}%
259 \DeclareRobustCommand{\eTeX}{%
260   \ifx\@series\bfseries@rm
261     \ifx\boldsymbol\undefined % \boldsymbol is from amsmath; also support bm?
262       \TUBWarning{bold varepsilon for \string\TeX\space not available; load amsmath}%
263       \TUBdefaulteTeX
264     \else
265       \ensuremath{\boldsymbol{\varepsilon}}\mbox{-}\kern-.125em\TeX
266     \fi
267   \else
268     \TUBdefaulteTeX
269   \fi
270 }
271 \DeclareRobustCommand{\ExTeX}{%
272   \ensuremath{\textstyle\varepsilon_{\kern-0.15em\cal{X}}}\kern-.2em\TeX}
273 \def\FAQ{\acro{FAQ}}
274 \def\FTP{\acro{FTP}}
275 \def\Ghostscript{Ghost\script}
276 \def\GNU{\acro{GNU}}
277 \def\GUI{\acro{GUI}}
278 \DeclareRobustCommand{\HarfBuzz}{Harf\discretionary{-}{-}{\kern.077em}Buzz}
279 \def\Hawaii{Hawai'i}
280 \def\HTML{\acro{HTML}}
281 \def\HTTP{\acro{HTTP}}
282 \def\HTTPS{\acro{HTTPS}}
283 \def\iOS{i\acro{OS}}
284 \def\IDE{\acro{IDE}}
285 \def\IEEE{\acro{IEEE}}
286 \def\ISBN{\acro{ISBN}}
287 \def\ISO{\acro{ISO}}
288 \def\ISSN{\acro{ISSN}}
289 \def\JPEG{\acro{JPEG}}
290 \def\JTeX{\leavevmode\hbox{\lower.5ex\hbox{J}\kern-.18em\TeX}}
291 \def\JoT{\textsl{The Joy of \TeX}}
292 \DeclareRobustCommand{\KOMAScript}{\textsf{K\kern.05em O\kern.05em%
293   M\kern.05em A\kern.1em\hyph\kern.1em Script}}
294 \def\LAMSTeX{L\raise.42ex\hbox{\kern-.3em
295   $\m@th$\fontsize\sf@size\z@\selectfont

```

```

296             $\m@th\mathcal{A}$}%
297     \kern-.2em\lower.376ex\hbox{$\m@th\mathcal{M}$}\kern-.125em
298     {$\m@th\mathcal{S}$}-\TeX}
299 % This code
300 % is hacked from its definition of \cs{LaTeX}; it allows slants (for
301 % example) to propagate into the raised (small) 'A':
302 %     \begin{macrocode}
303 \DeclareRobustCommand{\La}%
304   {L\kern-.36em
305     {\setbox0\hbox{T}%
306       \vbox to\ht0{\hbox{$\m@th$%
307         \csname S@f@size\endcsname
308           \fontsize\sf@size\z@
309             \math@fontsfalse\selectfont
310               A}%
311         \vss}%
312     }}

```

We started with the intention that we wouldn't redefine `\LaTeX` when we're running under it, so as not to trample on an existing definition. However, this proves less than satisfactory; a single logo may be OK for the run of documents, but for *TUGboat*, we find that something noticeably better is necessary; see section 3.12.

```

313 <!!latex>\def\LaTeX{L\kern-.15em\TeX}
314 \def\LMTX{\acro{LMTX}}
315 \def\LuaHBTeX{Lua\acro{HB}\-\TeX}%
316 \def\LuaHBLaTeX{Lua\acro{HB}\-\LaTeX}%
317 \def\LuaLaTeX{Lua\-\LaTeX}% dtk-logos defines it and people like to use it
318 \def\LuaTeX{Lua\-\TeX}% ditto
319 \def\luatex{\LaTeX}% ditto
320 \def\LyX{L\kern-.1667em\lower.25em\hbox{Y}\kern-.125emX}
321 \def\macOS{mac\acro{OS}}
322 \def\MacOSX{Mac\,\acro{OS}\,X}
323 \def\MathML{Math\acro{ML}}
324 \def\Mc{\setbox\TestBox=\hbox{M}M\vbox
325   to\ht\TestBox{\hbox{c}\vfil}} % for Robert McGaffey

```

If we're running under $\text{\LaTeX} 2_{\epsilon}$, we use Ulrik Vieth's `mflogo.sty` if it's present. Otherwise, we're using a short extract of Vieth's stuff. Either way, we don't need to specify `\MF` or `\MP`.

```

326 \def\mf{\textsc{Metafont}}
327 \def\MFB{\textsl{The \MF\kern.1em\-book}}
328 \def\MkIV{Mk\acro{IV}}
329 \let\TB@omp\mp
330 \DeclareRobustCommand{\mp}{\ifmode\TB@omp\else MetaPost\fi}
331 \def\mtex{T\kern-.1667em\lower.424ex\hbox{^E}\kern-.125emX\@}
332 %
333 % In order that the \cs{OMEGA} command will switch to using the TS1
334 % variant of the capital Omega character if \texttt{textcomp.sty} is
335 % loaded, we define it in terms of the \cs{textohm} command. Note
336 % that this requires us to interpose a level of indirection, rather
337 % than to use \cs{let}\dots
338 % Revised definition of \cs{NTS} based on that used by Phil Taylor.
339 %

```

```

340 % \begin{macrocode}
341 \DeclareRobustCommand{\NTG}{\acro{NTG}}
342 \DeclareRobustCommand{\NTS}{\ensuremath{\mathcal{N}\mkern-4mu
343 \raisebox{-0.5ex}{\mathcal{T}}\mkern-2mu \mathcal{S}}}
344 \DeclareTextSymbol{\textohm}{OT1}{'012}
345 \DeclareTextSymbolDefault{\textohm}{OT1}
346 \newcommand{\OMEGA}{\textohm}
347 \DeclareRobustCommand{\OCP}{\OMEGA\acro{CP}}
348 \DeclareRobustCommand{\OOXML}{\acro{OOXML}}
349 \DeclareRobustCommand{\OTF}{\acro{OTF}}
350 \DeclareRobustCommand{\OTP}{\OMEGA\acro{TP}}
351 \DeclareRobustCommand{\OpTeX}{\texorpdfstring{Op\kern-.05em\TeX}{OpTeX}}

352 \def\Pas{Pascal}
353 \def\pcMF{\leavevmode\raise.5ex\hbox{p\kern-.3\p@ c}MF\@}
354 \def\PCTeX{PC\thinspace\TeX}
355 \def\pcTeX{\leavevmode\raise.5ex\hbox{p\kern-.3\p@ c}\TeX}
356 \def\pdfLaTeX{pdf\/\-\LaTeX}% dtk-logos
357 \def\pdflatex{\pdfLaTeX}
358 \def\pdfTeX{pdf\/\-\TeX}% dtk-logos
359 \def\pdftex{\pdfTeX}
360 \def\PDF{\acro{PDF}}
361 \def\PDFUA{\acro{PDF/UA}}
362 \def\PGF{\acro{PGF}}
363 \def\PHP{\acro{PHP}}
364 \def\PiC{P\kern-.12em\lower.5ex\hbox{I}\kern-.075emC\@}
365 \def\PiCTeX{\PiC\kern-.11em\TeX}
366 \def\plain{\texttt{plain}}
367 \def\PNG{\acro{PNG}}
368 \def\POBox{P.\thinspace 0.\~Box }
369 \def\PS{\acro{Post\~Script}}
370 \def\PSTricks{\acro{PST}ricks}
371 \def\RIT{\acro{RIT}}
372 \def\RTF{\acro{RTF}}
373 \def\SC{Steering Committee}
374 \def\SGML{\acro{SGML}}
375 \def\SliTeX{\textrm{S\kern-.06em\textsc{l}\kern-.035emi}%
376 \kern-.06em\TeX}}
377 \def\s1MF{\textsl{MF}} % should never be used
378 \def\SQL{\acro{SQL}}
379 \def\stTeX{\textsc{st}\kern-0.13em\TeX}
380 \def\STIX{\acro{STIX}}
381 \def\SVG{\acro{SVG}}
382 \def\TANGLE{\texttt{TANGLE}\@}
383 \def\TB{\textsl{The \TeX\~book}}
384 \def\TIFF{\acro{TIFF}}
385 \def\TP{\textsl{\TeX:\ The Program\}}
386 \DeclareRobustCommand{\TeX}{T\kern-.1667em\lower.424ex\hbox{E}\kern-.125emX\@}
387 \def\TeXhax{\TeX hax}
388 \def\TeXMaG{\TeX M\kern-.1667em\lower.5ex\hbox{A}%
389 \kern-.2267emG\@}
390 \def\TeXtures{\textit{Textures}}
391 \let\Textures=\TeXtures
392 \def\TeXworks{\TeX\kern-.07em works}
393 \def\TeXXeT{\TeX\~\XeT}

```

```

394 \def\TFM{\acro{TFM}}
395 \ifTBunicodeengine
396   \AtBeginDocument{% in case a different font is loaded
397     % \iffontchar is from e-TeX; safe to use under Unicode engines.
398     \iffontchar\font"1EBF
399       \def\TBecircacute{\char"1EBF }%
400     \else
401       \def\TBecircacute{\^e\llap{\raise 0.5ex\hbox{\' }}}}%
402     \fi
403     \def\Thanh{H\'an\~Th\TBecircacute\~Th\'anh}%
404   }%
405 \else % non-Unicode engine, use our traditional definition.
406   \def\Thanh{H\'an\~Th\^e\llap{\raise 0.5ex\hbox{\' }}}\~Th\'anh}
407   % We could also go the other direction, and always use the Unicode
408   % character, after:
409   % \ifdefined\DeclareUnicodeCharacter
410   %   \DeclareUnicodeCharacter{1EBF}{\^e\llap{\raise 0.5ex\hbox{\' }}}}%
411   % \fi
412   % but let's make the smaller change.
413 \fi
414 \def\TikZ{Ti\/{\em k}Z}
415 \def\textsl{\textsl{TTN}\@}
416 \def\TTN{\textsl{\TeX} and TUG News}}
417 \def\TUB{\texttub{TUGboat}}\def\texttub{\textsl} % redefined in some situations
418 \def\TUG{\TeX \UG}
419 \def\tug{\acro{TUG}}
420 \def\UG{Users Group}
421 \def\UNIX{\acro{UNIX}}
422 % Don't define \UTF, since other packages use it for Unicode character access.
423 % On the other hand, we want a macro for UTF-8 that doesn't break at a
424 % following -, as in \tbUTF-8.
425 \def\tbUTF{\acro{UTF}\futurelet\@nextchar\@tbUTFcheck}
426   \def\@tbUTFcheck{\ifx\@nextchar-%
427     \mbox{-}\let\next=\tbgobbedash
428   \else
429     \let\next=\empty
430   \fi\next}
431   \def\tbgobbedash-{}
432 \def\VAX{V\kern-.12em A\kern-.1em X\@}
433 \def\VnTeX{V\kern-.03em n\kern-.02em \TeX}
434 \def\VorTeX{V\kern-2.7\p@ \lower.5ex\hbox{0\kern-1.4\p@ R}\kern-2.6\p@\TeX}
435 \def\XeT{X\kern-.125em \lower.424ex\hbox{E}\kern-.1667emT\@}
436 \def\XML{\acro{XML}}
437 \def\XMP{\acro{XMP}}
438 \def\WEB{\texorpdfstring{\texttt{WEB}\@}{WEB}}
439 \def\WEAVE{\texttt{WEAVE}\@}
440 \def\WYSIWYG{\acro{WYSIWYG}}

```

XeTeX requires reflecting the first E, hence we complain if the graphics package is not present. (For plain documents, this can be loaded via `miniltx` or `Eplain`.) Also, at Barbara's suggestion, if the current font is slanted, we rotate by 180 instead of reflecting so there is a better chance to look ok. (The magic values here seem more or less ok for `cmsl` and `cmti`.)

```

441 \def\tubreflect#1{%

```



```

442 \@ifundefined{reflectbox}{%
443   \TError{A graphics package must be loaded to use \string\XeTeX}
444   {Load graphicx or graphics.}%
445 }{%
446   \ifdim \fontdimen1\font>Opt
447     \raise 1.75ex \hbox{\kern.1em\rotatebox{180}{#1}}\kern-.1em
448   \else
449     \reflectbox{#1}%
450   \fi
451 }%
452 }
453 \def\tubhideheight#1{\setbox0=\hbox{#1}\ht0=0pt \dp0=0pt \box0 }
454 \def\XekernbeforeE{-.125em}
455 \def\XekernafterE{-.1667em}
456 % From Max, mail of 13sep24:
457 % hyperref is trying to expand \Xe to get a string for
458 % the embedded PDF table of contents, but \Xe is unsafe in an
459 % expansion-only context [even when defined with \DeclareRobustCommand,
460 % for reasons unknown].
461 % An easy way to fix this is to replace \DeclareRobustCommand with
462 % \NewDocumentCommand, which defines the macro as ‘\protected’ instead
463 % as ‘\protect’ed.
464 \NewDocumentCommand\tub@Xe{}{\leavevmode
465   \tubhideheight{\hbox{X%
466     \setbox0=\hbox{\TeX}\setbox1=\hbox{E}%
467     \ifdim \fontdimen1\font>Opt
468       % XeTeX logo needs tinkering when slanted/italic font,
469       % so make kerns changeable
470       \def\XekernbeforeE{-.11em}%
471       \def\XekernafterE{-.16em}%
472       \dp1=-.17ex
473     \fi
474     \lower\dp0\hbox{\raise\dp1\hbox{\kern\XekernbeforeE\tubreflect{E}}}%
475     \kern\XekernafterE}}
476 % [But then,] For hyperref to be able to see the \texorpdfstring, it
477 % needs to be inside of a non-protected macro, but we still want the
478 % graphics commands to be protected, so we need to make a wrapper command:
479 \newcommand\Xe{\texorpdfstring{\tub@Xe}{Xe}}
480 \def\XeTeX{\texorpdfstring{\Xe\TeX}{XeTeX}}
481 \def\XeLaTeX{\texorpdfstring{\Xe{\kern.11em \LaTeX}}{XeLaTeX}}
482 %
483 \def\XHTML{\acro{XHTML}}
484 \def\XSL{\acro{XSL}}
485 \def\XSLFO{\acro{XSL}\raise.08ex\hbox{-}\acro{FO}}
486 \def\XSLT{\acro{XSLT}}
487 \def\YAML{\acro{YAML}}

```

3.5 General typesetting rules

```

488 \newlinechar='^^J
489 \normallineskiplimit=\p@
490 \clubpenalty=10000
491 \widowpenalty=10000
492 \def\NoParIndent{\parindent=\z@}

```

```

493 \newdimen\normalparindent
494 \normalparindent=20\p@
495 \def\NormalParIndent{\global\parindent=\normalparindent}
496 \NormalParIndent
497 \def\BlackBoxes{\overfullrule=5\p@}
498 \def\NoBlackBoxes{\overfullrule=\z@}
499 \def\newline{\hskip\z@\@plus\pagewd\break}

```

`\tubsentencespace` Occasionally, notably after citations that need to come after a sentence-ending period, we want to tell TeX that it's still at the end of a sentence. As in: `... whatever. \cite{foo}\tubsentencespace` This happens when, e.g., the reference applies to more than the final sentence. Also can be needed when `\@` cannot be used because the sentence-ending punctuation itself occurs inside a control sequence that prevents it.

```
500 \def\tubsentencespace{\spacefactor=3000{ }\space\ignorespaces}
```

`\tubdots` Latin Modern and many other fonts irritatingly make the Unicode ellipsis character (U+2026) a single character's width, typically more squashed together than three period characters. This just looks wrong. It is too painful to try to redefine in general, but provide the normal definition to reset in individual papers with, e.g.: `\ifx\tubdots\undefined \else \let\dots\tubdots \let\ldots\tubdots \fi`

```

501 \DeclareRobustCommand{\tubdots}{\ifmmode\mathellipsis\else
502   .\kern\fontdimen3\font
503   .\kern\fontdimen3\font
504   .\kern\fontdimen3\font\fi}

```

`\allowhyphens` Hyphen control: first, we save (via `\edef`) the hyphenpenalties in `\allowhyphens`. This allows us to permit hyphens temporarily in things like `\netaddresses`, which typically occur when `\raggedright` is set, but which need to be allowed to break at their artificial discretionaries.

```

505 \edef\allowhyphens{\noexpand\hyphenpenalty\the\hyphenpenalty\relax
506   \noexpand\exhyphenpenalty\the\exhyphenpenalty\relax}
507 \def\nohyphens{\hyphenpenalty\@M\exhyphenpenalty\@M}

```

3.6 Utility registers and definitions

We define a few scratch registers (and the like) for transient use; they're all paired: an internal one (`\T@st*`) and an external one (`\Test*`).

Comment: Exercise for an idle day: find whether all these are necessary, or whether we can use the L^AT_EX temporaries for some (or all) of the `\T@st*` ones.

Comment: (bb) All these registers are used in the plain version, `tugboat.sty`.

```

508 \newbox\T@stBox           \newbox\TestBox
509 \newcount\T@stCount      \newcount\TestCount
510 \newdimen\T@stDimen     \newdimen\TestDimen
511 \newif\ifT@stIf         \newif\ifTestIf

```

Control sequence existence test, stolen from TeXbook exercise 7.7 (note that this provides functionality that in some sense duplicates something within L^AT_EX).

```
512 \def\ifundefined#1{\expandafter\ifx\c#1\endc#1\relax }
```

L^AT_EX conventions which are also useful here.

```
513 <!*latex>
514 \let@@input\input
515 \def\iinput#1{\@@input#1 }
516 \def\inputcheck{\if\nextchar\bgroup
517 \expandafter\iinput\else\expandafter\@@input\fi}
518 \def\input{\futurelet\nextchar\inputcheck}
519 </!latex>
```

Smashes repeated from AMS-_TE_X; plain _TE_X implements only full `\smash`.

```
520 \newif\iftop@ \newif\ifbot@
521 \def\topsmash{\top@true\bot@false\smash@}
522 \def\botsmash{\top@false\bot@true\smash@}
523 \def\smash{\top@true\bot@true\smash@}
524 \def\smash@{\relax\ifmmode\def\next{\mathpalette\mathsm@sh}%
525 \else\let\next\makesm@sh\fi \next }
526 \def\fin@msh{\iftop@\ht\z@\z@\fi\ifbot@\dp\z@\z@\fi\box\z@}
```

Vertical ‘laps’; cf. `\llap` and `\rlap`

```
527 \long\def\ulap#1{\vbox to \z@\vss#1}}
528 \long\def\dlap#1{\vbox to \z@\vss#1}}
```

And centered horizontal and vertical ‘laps’

```
529 \def\xlap#1{\hb@xt@\z@\hss#1\hss}}
530 \long\def\ylap#1{\vbox to \z@\vss#1\vss}}
531 \long\def\zlap#1{\ylap{\xlap{#1}}}
```

Avoid unwanted vertical glue when making up pages.

```
532 \def\basezero{\baselineskip\z@skip \lineskip\z@skip}
```

Empty rules for special occasions

```
533 \def>nullhrule{\hrule \@height\z@ \@depth\z@ \@width\z@ }
534 \def>nullvrule{\vrule \@height\z@ \@depth\z@ \@width\z@ }
```

Support ad-hoc strut construction.

```
535 \def\makestrut[#1;#2]{\vrule \@height#1 \@depth#2 \@width\z@ }
```

Construct box for figure pasteup, etc.; height = #1, width = #2, rule thickness = #3

```
536 \def\drawoutlinebox[#1;#2;#3]{\T@stDimen=#3
537 \vbox to#1{\hrule \@height\T@stDimen \@depth\z@
538 \vss\hb@xt@#2{\vrule \@width\T@stDimen
539 \hfil\makestrut[#1;\z@]}
540 \vrule \@width\T@stDimen}\vss
541 \hrule \@height\T@stDimen \@depth\z@}}
```

Today’s date, to be printed on drafts. Based on _TE_Xbook, p.406.

```
542 <!*latex>
543 \def\today{\number\day\space \ifcase\month\or
544 Jan \or Feb \or Mar \or Apr \or May \or Jun \or
545 Jul \or Aug \or Sep \or Oct \or Nov \or Dec \fi
546 \number\year}
547 </!latex>
```

Current time; this may be system dependent!

```
548 \newcount\hours
549 \newcount\minutes
550 \def\SetTime{\hours=\time
551         \global\divide\hours by 60
552         \minutes=\hours
553         \multiply\minutes by 60
554         \advance\minutes by-\time
555         \global\multiply\minutes by-1 }
556 \SetTime
557 \def\now{\ifnum\hours<10 0\fi\number\hours:%
558         \ifnum\minutes<10 0\fi\number\minutes}
559 \def\Now{\today\ \now}
560 \newif\ifPrelimDraft % true if ([draft] or [preprint] or pageno>900)
561 \def\midrttitle{} % center of running heads
562 \def\rtitlenexttopage{\ifPrelimDraft \textsl{\small draft: \Now}\fi}
563 %\def\rtitlenexttopage{\ifnum\value{page}>900 \textsl{\small draft: \Now}\fi}
```

Sometimes we want to refer to the pages of another article in the same issue. `tugboat.dates` makes the real definition; here we define a placeholder so it won't be undefined when we send the source back to the author.

```
564 \let\thisissuepageref\empty
```

3.7 Ragged right and friends

`\raggedskip` Plain T_EX's definition of `\raggedright` doesn't permit any stretch, and results in `\raggedstretch` too many overfull boxes. We also turn off hyphenation. This code lies somewhere `\raggedparfill` between that of Plain T_EX and of L^AT_EX.

```
\raggedspaces 565 \newdimen\raggedskip \raggedskip=\z@
566 \newdimen\raggedstretch \raggedstretch=5em % ems of font set now (10pt)
567 \newskip\raggedparfill \raggedparfill=\z@\@plus 1fil
568 \def\raggedspaces{\spaceskip=.3333em \relax \xspaceskip=.5em \relax }
```

`\raggedright` Some applications may have to add stretch, in order to avoid all overfull boxes.

`\raggedleft` We define the following uses of the above skips, etc.

```
\raggedcenter 569 \def\raggedright{%
\normalspaces 570 \nohyphens \raggedspaces
571 \rightskip=\raggedskip\@plus\raggedstretch
572 \parfillskip=\raggedparfill
573 }
574 \def\raggedleft{%
575 \nohyphens \raggedspaces
576 \leftskip=\raggedskip\@plus\raggedstretch
577 \parfillskip=\z@skip
578 \let\ \@centercr % else tabulararray fails,
579 % https://github.com/lvjrr/tabulararray/issues/348
580 }
581 \def\raggedcenter{%
582 \nohyphens \raggedspaces
583 \leftskip=\raggedskip\@plus\raggedstretch
584 \rightskip=\leftskip
585 \parindent=\z@
586 \parfillskip=\z@skip
```

```

587 }
588 %
589 % Undo |\raggedspaces|.
590 \def\normalspaces{\spaceskip\z@skip \xspaceskip\z@skip}

```

```

\tubjustifiedpar Undo the \raggedright (or other such) settings, restoring normality.
591 \def\tubjustifiedpar{\rightskip=0pt \parfillskip=0pt plusifil
592 \allowhyphens \normalspaces}

```

3.8 Assorted user-level markup

We provide a new definition of \sim by redefining \backslash (`\DeclareRobustCommand` doesn't mind redefinition, fortunately). This is based on the version in AMS- \TeX —the $\LaTeX 2_\epsilon$ version (`ltspace.dtx`) has `\leavevmode` and does not do anything with the surrounding space(s). Our version messes up with the `\pfill` used in doc-generated indexes (github.com/latex3/latex2e/issues/75), but later (2018++) versions of doc should protect against our redefinition.

```

593 \let\latexnobreakspace=\nobreakspace
594 \DeclareRobustCommand{\nobreakspace}{\unskip\nobreak\ignorespaces}

```

Plain \TeX defines `\newbox` as `\outer`. We solemnly preserve the following, which removes the `\outerness`; of course, we carefully exclude it from what we generate... (`\outerness` is a spawn of the devil, is it not? Barbara Beeton responded to the previous sentence “`\outerness` has its place: it avoids register buildup, hence running out of memory”. In another context, David Carlisle remarked that an error control mechanism that causes more confusing errors than it prevents is rather a poor one. This is perhaps not the place to conduct a serious debate...)

```

595 \def\boxcs#1{\box\csname#1\endcsname}
596 \def\setboxcs#1{\setbox\csname#1\endcsname}
597 \def\newboxcs#1{\expandafter\newbox\csname#1\endcsname}
598 \let\gobble@\gobble
599 \def\vellipsis{%
600 \leavevmode\kern0.5em
601 \raise\p@\vbox{\baselineskip6\p@\vskip7\p@\hbox{.}\hbox{.}\hbox{.}}
602 }
603 % \bull doesn't work with tagging; requires ActualText using, e.g.,
604 % accsup, but the ActualText is ignored since it's just a rule.
605 % (Lots of our other commands also are not properly tagged.)
606 % https://github.com/latex3/tagging-project/pull/535
607 \def\bull{\vrule \height 1ex \@width .8ex \@depth -.2ex }
608 \DeclareRobustCommand{\cents}{\textcent}
609 \def\tubcentsold{\rm\raise.2ex\rlap{\kern.05em$\scriptstyle/$}c}
610 \def\careof{\leavevmode\hbox{\raise.75ex\hbox{c}\kern-.15em
611 /\kern-.125em\smash{\lower.3ex\hbox{o}}}\ignorespaces}
612 \def\Dag{\raise.6ex\hbox{\scriptstyle\dagger}}
613 %
614 \DeclareRobustCommand{\sfrac}[1]{\@ifnextchar/{\@sfrac{#1}}%
615 {\@sfrac{#1}/}}
616 \def\@sfrac#1/#2{\leavevmode\kern.1em\raise.5ex
617 \hbox{\m@th\mbox{\fontsize\sfontsize\z@
618 \selectfont#1}}\kern-.1em

```

```

619         /\kern-.15em\lower.25ex
620         \hbox{\m@th\mbox{\fontsize\sf@size\z@
621             \selectfont#2}$}}
622 %
623 % don't stay bold in description items, bold italic is too weird.
624 \DeclareRobustCommand\meta[1]{%
625     \ensuremath{\langle}%
626     \ifmmode \expandafter\mbox \fi % if in math
627     {\it #1/}% no typewriter italics, please
628     \ensuremath{\rangle}%
629 }
630 %
631 % Use \tt rather than \texttt because italic typewriter is just too strange
632 % and upright works well enough in both italic and bold contexts.
633 % Would be nice to change catcode of _ for \LaTeX3, but we don't.
634 %
635 % By the way, it would be possible to substitute typewriter slanted for
636 % typewriter italic in general:
637 % \url{https://tex.stackexchange.com/questions/692277}.
638 % But it feels like that is too intrusive a change, even though in
639 % practice we always prefer tt slanted.
640 \DeclareRobustCommand{\cs}[1]{\texorpdfstring
641     {\tt \char'\#1\@}%
642     {\textbackslash #1}%
643 }
644 %
645 % This command was defined much later than the others around here, so
646 % let's not conflict with any existing definitions that might be out there.
647 % Don't allow hyphenations or other line breaks.
648 \DeclareRobustCommand{\tubbraced}[1]{\texorpdfstring
649     {\mbox{\texttt{\char'\#1\char'\}}}%
650     {\textbraceleft #1\textbraceright}%
651 }
652 %
653 % Literal text, such as class names, package names, filenames, etc,
654 % Trying to define separate commands for each seems impossible and pointless.
655 % Usually we don't want hyphenation or any other kind of break.
656 \DeclareRobustCommand{\tbcodes}[1]{\mbox{\texttt{#1}}}
657 %
658 % On the other hand, sometimes we need to break such code fragments.
659 % If |hyperref| is loaded, we want |\nolinkurl|, else just |\url|.
660 \AtBeginDocument{%
661 \ifx\nolinkurl\undefined
662     \DeclareRobustCommand{\tbcodesbreak}{\url}
663 \else
664     \DeclareRobustCommand{\tbcodesbreak}{\nolinkurl}
665 \fi
666 }
667 %
668 % Not sure why we ever want this instead of LaTeX's \, (using \kern),
669 % but fine, just keeping it.
670 \DeclareRobustCommand{\thinskip}{\hspace 0.16667em\relax}
671 %
672 % Ah, urls. Nowadays, we like the visible url to not have any protocol,

```

```

673 % if it is \texttt{http://} or \texttt{https://}. But we need to include
674 % the protocol if we are making live links, since a string like
675 % \texttt{tug.org/whatever} will be taken as a local filename by
676 % browsers and PDF readers. Since we need to check for
677 % \texttt{hyperref}, make the definition \cs{AtBeginDocument}. In the
678 % end, \cs{tbsurl}\tubbraced{foo} produces \texttt{https://foo} and
679 % \cs{tbhurl}\tubbraced{foo} produces \texttt{http://foo}.
680 \AtBeginDocument{%
681 \ifx\hyper@normalise\undefined
682 \ifx\url\undefined % define our own simplistic non-hyperref \url
683 \def\url{\begingroup % might as well catch common special chars
684 \catcode'\#=12 \catcode'\$=12 \catcode'\%=12 \catcode'\^=12
685 \catcode'\&=12 \catcode'\_ =12 \catcode'\~=12
686 \finish@tub@url}
687 \def\finish@tub@url#1{\tt #1\endgroup}
688 \fi
689 \let\tburl\url % no hyperref, so just \url is fine;
690 \let\tbsurl\url % \let instead of \def so we can still
691 \let\tbhurl\url % use \def\url{\tbsurl} without infloop.
692 \else
693 % This hyperref hook-in is due to Ulrike Fischer.
694 % \url{https://github.com/latex3/hyperref/issues/125}.
695 % \tb[sh]url@ are defined next.
696 \DeclareRobustCommand*\tburl{\tbsurl}%
697 \DeclareRobustCommand*\tbsurl{\hyper@normalise\tbsurl}%
698 \DeclareRobustCommand*\tbhurl{\hyper@normalise\tbhurl}%
699 \fi
700 }
701 %
702 % Outside \AtBeginDocument, back at the top level of the dtx, we
703 % turn on expl syntax for the main definitions of \tb[sh]url. We want
704 % to auto-remove an explicit protocol in case it
705 % was given.
706 %
707 % Only the correct protocol is removed; if \verb|http://| is
708 % given to \cs{tbsurl}, it is used (and printed) as-is. This is useful
709 % so we can do \verb|\let\url\tbsurl| when printing bibliographies.
710 %
711 % Giving \verb|https://| to \cs{tbhurl}, on the other hand, generates an
712 % invalid link; in practice there's no use for that so we don't bother
713 % to check for it.
714 %
715 \ExplSyntaxOn
716 \def\tbsurl@#1 % https
717 {
718 \str_set:Nn\l_tmpa_str{#1}
719 \str_if_in:NnTF \l_tmpa_str {http://}
720 {
721 \tbhurl@{#1} % if http, redirect to remove protocol
722 % this version prints the http, as we originally thought was better.
723 % \expandafter\hyper@linkurl
724 % \expandafter{\expandafter\Hurl\expandafter{\l_tmpa_str}}{\l_tmpa_str}
725 }
726 {

```

```

727     \str_remove_once:Nn \l_tmpa_str {https://}
728     \expandafter\hyper@linkurl
729     \expandafter{\expandafter\Hurl\expandafter{\l_tmpa_str}}
730                                     {https://\l_tmpa_str}
731   }
732 }
733 \def\tbhurl@#1 % http
734 {
735   \str_set:Nn\l_tmpa_str{#1}
736   \str_remove_once:Nn \l_tmpa_str {http://}
737   \expandafter\hyper@linkurl\expandafter{\expandafter\Hurl\expandafter
738                                           {\l_tmpa_str}}{http://\l_tmpa_str}
739 }
740 \ExplSyntaxOff
741 %
742 % Now let's use those macros for putting a url into a simple
743 % ragged-right footnote.
744 \def\tburlfootnote{\tbsurlfootnote}
745 \def\tbsurlfootnote#1{\unskip\footnote{\raggedright\tbsurl{#1}}}
746 \def\tbhurlfootnote#1{\unskip\footnote{\raggedright\tbhurl{#1}}}
747 %
748 % Close up space between footnote mark and punctuation ('pre-punctuation').
749 \DeclareRobustCommand{\tbppkernfoot}{\tubthinerspace}
750
751 % Make \! work in text mode, for older LaTeX.
752 \DeclareRobustCommand{\!}{\ifmmode\mskip-\thinmuskip \else\kern-0.16667em \fi}
753 %
754 % Half a thinspace, positive and negative. Should have named these
755 % \cs{tb} instead of \cs{tub}, but not worth changing now.
756 \DeclareRobustCommand{\tubthinerspace}
757   {\ifmmode\mskip.5\thinmuskip \else\kern0.08333em \fi}
758 \DeclareRobustCommand{\tubthinerspaceneg}
759   {\ifmmode\mskip-.5\thinmuskip \else\kern-0.08333em \fi}
760 %
761 % Half a smallskip.
762 \DeclareRobustCommand{\tubsmallerskip}
763   {\vskip 1.5pt plus .75pt minus .75pt\relax}
764 %

```

We play a merry game with dashes, providing all conceivable options of breakability before and after.

```

765 \def\endash{--}
766 \def\emdash{\endash-}
767 \def\d@sh#1#2{\unskip#1\thinspace#2\thinspace\ignorespaces}
768 \def\dash{\d@sh\nobreak\endash}
769 \def\Dash{\d@sh\nobreak\emdash}
770 \def\ldash{\d@sh\empty{\hbox{\endash}\nobreak}}
771 \def\rdash{\d@sh\nobreak\endash}
772 \def\Ldash{\d@sh\empty{\hbox{\emdash}\nobreak}}
773 \def\ Rdash{\d@sh\nobreak\emdash}

```

Hacks to permit automatic hyphenation after an actual hyphen, or after a slash.

```

774 \def\hyph{-\penalty\z@\hskip\z@skip }

```



```
775 \def\slash{/\penalty\z@\hskip\z@skip }
```

Adapted from `comp.text.tex` posting by Donald Arseneau, 26 May 93.
 \LaTeX 2 ϵ -isation added by Robin Fairbairns. Destroys both the `TestCounts`.

```
776 \def\nth#1{%
777   \def\reserved@a##1##2\@nil{\ifcat##1n%
778     0%
779     \let\reserved@b\ensuremath
780   \else##1##2%
781     \let\reserved@b\relax
782   \fi}%
783   \TestCount=\reserved@a#1\@nil\relax
784   \ifnum\TestCount <0 \multiply\TestCount by\m@ne \fi % subdue negatives
785   \T@stCount=\TestCount
786   \divide\T@stCount by 100 \multiply\T@stCount by 100
787   \advance\TestCount by-\T@stCount % n mod 100
788   \ifnum\TestCount >20 \T@stCount=\TestCount
789     \divide\T@stCount by 10 \multiply\T@stCount by 10
790     \advance\TestCount by-\T@stCount % n mod 10
791   \fi
792   \reserved@b{#1}%
793   \textsuperscript{\ifcase\TestCount th%      0th
794                     \or st%                  1st
795                     \or nd%                  2nd
796                     \or rd%                  3rd
797                     \else th%                nth
798                   \fi}%
799 }
```

3.9 Reviews

Format information on reviewed items for book review articles. For the \LaTeX 2 ϵ version, we follow Fairbairns' maxim, and define something that can even look like a \LaTeX macro...

```
800 \def\Review{\@ifnextchar:{\@Review}{\@Review:}}
801 \def\@Review:{\@ifnextchar[%]
802   {\@Rev}%
803   {\@Rev[Book review]}}
804 \def\@Rev[#1]#2{{\ignorespaces#1\unskip:\enspace\ignorespaces
805               \slshape\mdseries#2}}
806 \def\reviewitem{\addvspace{\BelowTitleSkip}%
807   \def\revauth##1{\def\therevauth{##1, }\ignorespaces}%
808   \def\revtitle##1{\def\therevtitle{{\slshape##1}. }\ignorespaces}%
809   \def\revpubinfo##1{\def\therevpubinfo{##1.}\ignorespaces}%
810 }
811 \def\endreviewitem{{\noindent\interlinepenalty=10000
812   \therevauth\therevtitle\therevpubinfo\endgraf}%
813   \vskip\medskipamount
814 }
815 \def\titleref#1{{\slshape\frenchspacing#1\nocorr}}
816 \let\booktitle=\titleref % older name
```

3.10 Dates, volume and issue numbers, etc.

Dates and other items which identify the volume and issue. `\issueseqno` is a sequential issue number starting from the first issue published; volume 15,4 has `\issueseqno=45`.

```
\vol 19, 1.
```

To use: `\issdate March 1998`.

```
\issueseqno=58
```

Starting with volume 23 (nominal 2002), we have `\issyear` instead of `\issdate`, because issues don't have months any more.

For production, these are set in a separate file, `tugboat.dates`, which is issue-specific.

```
817 \newcount\issueseqno \issueseqno=-1
818 \def\v@lx{\gdef\volx{Volume~\volno~(\volyr), No.~\issno}}
819 \def\volyr{}
820 \def\volno{}
821 \def\vol#1, #2.{%
822     \gdef\volno{#1}%
823     \gdef\issno{#2}%
824     \setbox\TestBox=\hbox{\volyr}%
825     \ifdim \wd\TestBox > .2em \v@lx \fi }
826 \def\issyear#1.{%
827     \gdef\issdt{#1}\gdef\volyr{#1}%
828     \gdef\bigissdt{#1}%
829     \setbox\TestBox=\hbox{\volno}%
830     \ifdim \wd\TestBox > .2em \v@lx \fi }
831 \def\issdate#1#2 #3.{%
832     \gdef\issdt{#1#2 #3}\gdef\volyr{#3}%
833     \gdef\bigissdt{#1{\smc\uppercase{#2}} #3}%
834     \setbox\TestBox=\hbox{\volno}%
835     \ifdim \wd\TestBox > .2em \v@lx \fi }
836 % The \vol command must be invoked precisely like this, including spaces.
837 % Since we are the only ones who write it, we can be strict.
838 \vol 0, 0.
839 \issdate Thermidor, 9999.
```

(The curious may like to know that *Thermidor* was one of the French revolutionary month names.)

For L^AT_EX use, define a version of the issue declaration that can take or leave the old plain syntax

```
840 <!!latex>\def\tubissue#1(#2)%
841 <*latex>
842 \def\tubissue#1{\@ifnextchar(%
843   {\@tubissue@b{#1}}
844   {\@tubissue@a{#1}})}
845 \def\@tubissue@b#1(#2){\@tubissue@a{#1}{#2}}
846 \def\@tubissue@a#1#2%
847 </latex>
848 {\TUB~#1, no.~#2}
```

TUGboat conventions include the sequential issue number in the file name. Permit this to be incorporated into file names automatically. If issue number = 11, `\Input filnam` will read `tb11filnam.tex`

```

849 \def\infil@{\jobname}
850 \def\Input #1 {\ifnum\issueseqno<0
851   \def\infil@{#1}%
852   \else
853     \def\infil@{tb\number\issueseqno#1}
854   \fi
855   \edef\jobname{\infil@}\@readFLN
856   \@input \infil@\relax
857   \if@RMKopen
858     \immediate\closeout\@TBremarkfile\@RMKopenfalse
859   \fi
860 }

```

\TBremarks are things that need to be drawn to the attention of the editors; the conscientious author will include such things in the article file. By default, remarks are suppressed, but their appearance may be enabled by the \TBenableRemarks command, which can be included in the configuration file ltugboat.cfg (or ltugproc.cfg, if that's what we're at).

```

861 \newif\if@RMKopen      \@RMKopenfalse
862 \newwrite\@TBremarkfile
863 \def\@TBremark#1{%
864   \if@RMKopen
865   \else
866     \@RMKopenttrue\immediate\openout\@TBremarkfile=\infil@.rmk
867   \fi
868   \toks@={#1}%
869   \immediate\write\@TBremarkfile{^^J\the\toks@}%
870   \immediate\write16{^^JTBremark:: \the\toks@^^J}%
871 }

```

We initialise \TBremark to ignore its argument (this used to involve a \TBremarkOFF which was cunningly defined exactly the same as \gobble)

```
872 \let\TBremark=\gobble
```

\TBenableRemarks simply involves setting \TBremark to use the functional \@TBremark defined above.

```
873 \def\TBenableRemarks{\let\TBremark\@TBremark}
```

For marking locations in articles that pertain to remarks in another file of editorial comments

```
874 \def\TUBedit#1{}
```

For using different filenames in the production process than those supplied by authors

```

875 \def\TUBfilename#1#2{\expandafter\def\curname file@@#1\endcurname{#2}}
876 \newread\@altfilenames
877 \def\@readFLN{\immediate\openin\@altfilenames=\jobname.fln
878   \ifeof\@altfilenames\let\@result\relax\else
879   \def\@result{\@input\jobname.fln }\fi
880   \immediate\closein\@altfilenames
881   \@result}
882 \@readFLN
883 \everyjob=\expandafter{\the\everyjob\@readFLN}
884 \InputIfFileExists{\jobname.fln}%

```

```

885   {\TBInfo{Reading alternative file \jobname.fln}}
886   {}

```

The following needs to work entirely in T_EX's mouth

```

887 \def\@tubfilename#1{\expandafter\ifx\csname file@@#1\endcsname\relax
888   #1\else\csname file@@#1\endcsname\fi}
889 \def\fileinput#1{\@@input\@tubfilename{#1} }

```

Write out (both to a file and to the log) the starting page number of an article, to be used for cross references and in contents. `\pagexref` is used for articles fully processed in the *TUGboat* run. `\PageXref` is used for 'extra' pages, where an item is submitted as camera copy, and only running heads (at most) are run.

```

890 <!\latex>
891 \def\pagexrefON#1{%
892     \write-1{\def\expandafter\noexpand\csname#1\endcsname{\number\pageno}}%
893     \write\ppoutfile{%
894         \def\expandafter\noexpand\csname#1\endcsname{\number\pageno}}%
895     }
896 \def\PageXrefON#1{%
897     \immediate\write-1{\def\expandafter
898         \noexpand\csname#1\endcsname{\number\pageno}}%
899     \immediate\write\ppoutfile{\def\expandafter
900         \noexpand\csname#1\endcsname{\number\pageno}}%
901 </!\latex>
902 <*\latex>
903 \def\pagexrefON#1{%
904     \write-1{\def\expandafter\noexpand\csname#1\endcsname{\number\c@page}}%
905     \write\ppoutfile{%
906         \def\expandafter\noexpand\csname#1\endcsname{\number\c@page}}%
907     }
908 \def\PageXrefON#1{%
909     \immediate\write-1{\def\expandafter
910         \noexpand\csname#1\endcsname{\number\c@page}}%
911     \immediate\write\ppoutfile{\def\expandafter
912         \noexpand\csname#1\endcsname{\number\c@page}}%
913 </!\latex>
914 \def\pagexrefOFF#1{}
915 \let\pagexref=\pagexrefOFF
916 \def\PageXrefOFF#1{}
917 \let\PageXref=\PageXrefOFF
918 \def\xreftoON#1{%
919     \ifundefined{#1}%
920     ???\TBremark{Need cross reference for #1.}%
921     \else\csname#1\endcsname\fi}
922 \def\xreftoOFF#1{???}
923 \let\xrefto=\xreftoOFF
924 \let\TBdriver\gobble

```

`\TBdriver` 'marks code for use when articles are run together in a driver file'. Since we don't yet have a definition of that arrangement, we don't have a definition of `\TBdriver`. Its argument (which one presumes was intended as the code for this unusual state) is just gobbled.

Hyphenation exceptions. We read our own full `ushyphex.tex` (generated from `tb0hyf.tex`) if it's available. The additional exceptions are nearly all included in the file, but keep defining them anyway, since we have for many years.

But do not define any exceptions if `\tubomithyphenations` is defined. This is needed for the `hyf` articles themselves.

```

925 \ifx\tubomithyphenations\@thisisundefined
926 \InputIfFileExists{ushyphex.tex}{\@}{} % ok if it's missing
927 \hyphenation{Del-a-ware Dijk-stra Duane Eijk-hout
928   Flor-i-da Free-BSD Ghost-script
929   Hara-lam-bous Jac-kow-ski Ja-pa-nese Karls-ruhe Lua-Meta
930   Mac-OS Math-Sci-Net
931   Net-BSD Open-BSD Open-Office
932   Pak-i-stan Post-Script Rich-ard Skoup South-all
933   Vieth VM-ware Win-Edt
934   acro-nym acro-nyms analy-sis ap-pen-di-ces ap-pen-dix asyn-chro-nous
935   bib-lio-graph-i-cal bit-map bit-mapped bit-maps buf-fer buf-fers bool-ean
936   col-umns com-put-able com-put-abil-ity
937   data-base data-bases
938   de-allo-cate de-allo-cates de-allo-cated de-allo-ca-tion
939   de-riv-a-tive de-riv-a-tives de-riv-a-ble der-i-va-tion dis-trib-ut-able
940   es-sence
941   fall-ing
942   half-way
943   in-fra-struc-ture
944   key-note
945   long-est
946   ma-gyar man-u-script man-u-scripts meta-table meta-tables
947   mne-mon-ic mne-mon-ics mono-space mono-spaced
948   name-space name-spaces
949   off-line over-view
950   pal-ettes par-a-digm par-a-dig-matic par-a-digms
951   pipe-line pipe-lines
952   plug-in plug-ins pres-ent-ly pro-gram-mable
953   re-allo-cate re-allo-cates re-allo-cated re-printed
954   set-ups se-vere-ly spell-ing spell-ings stand-alone strong-est
955   sub-ex-pres-sion sub-tables sur-gery syn-chro-ni-city syn-chro-nous
956   text-height text-length text-width
957   time-stamp time-stamped time-stamps
958   vis-ual vis-ual-ly
959   which-ever white-space white-spaces wide-spread wrap-around
960 }
961 \fi
962 <!!latex>\restorecat\@
963 </common>
964 <*classtail>
965 \PrelimDraffttrue

```

3.11 Page dimensions, glue, penalties, etc.

```

966 \textheight 54pc      % 648pt = 645.58bp = 8.97in
967 \textwidth 39pc       % 468pt = 466.25bp = 6.48in
968 \columnsep 1.5pc     % 18pt = 17.93bp = .249in
969 \columnwidth 18.75pc % 225pt = 224.16bp = 3.11in

```

```

970 \hfuzz 1pt
971 \parindent \normalparindent % 20pt
972 \parskip \z@ % \@plus\p@
973 \leftmargini 2em
974 \leftmarginv .5em
975 \leftmarginvi .5em
976 \oddsidemargin \z@
977 \evensidemargin \z@
978 \topmargin -2.5pc % 30pt = 29.89bp = .415in
979 \headheight 12\p@
980 \headsep 20\p@
981 \marginparwidth 48\p@
982 \marginparsep 10\p@
983 \partopsep=\z@
984 \topsep=3\p@\@plus\p@\@minus\p@
985 \parsep=3\p@\@plus\p@\@minus\p@
986 \itemsep=\parsep
987 %
988 % The width of one column plus gutter (=243pt =242.09bp) is useful sometimes.
989 \newdimen\tubcolwidthandgutter
990 \tubcolwidthandgutter=\columnwidth
991 \advance\tubcolwidthandgutter by \columnsep
992 %
993 % Ordinarily we typeset in two columns, but the onecolumn option
994 % goes to one. In which case we want to center the text block on an
995 % 8.5in width, given the default 72.27pt offset with margins of zero.
996 % We are always in LaTeX's twoside mode because of how we load article,
997 % and this is a good thing, since we want different headings.
998 \if@tubtwocolumn \twocolumn \else
999 \onecolumn
1000 \textwidth=34pc
1001 \oddsidemargin=30.8775pt
1002 \evensidemargin=\oddsidemargin
1003 \fi
1004 %
1005 \newdimen\pagewd \pagewd=\textwidth
1006 \newdimen\trimwd \trimwd=\pagewd
1007 \newdimen\trimlgt \trimlgt=11in
1008 \newdimen\headmargin \headmargin=3.5pc

```

Don't go to a float page so soon. Not all of these are relevant to all articles, but we may as well set them all.

```

1009 \renewcommand{\topfraction}{.9} % don't go to a float page so soon
1010 \renewcommand{\dbltopfraction}{.9}
1011 \renewcommand{\bottomfraction}{.7}
1012 \renewcommand{\textfraction}{.1}
1013 \renewcommand{\floatpagefraction}{.8}
1014 \renewcommand{\dblfloatpagefraction}{.8} % the most common one used

```

3.12 Messing about with the L^AT_EX logo

Barbara Beeton's pleas for L^AT_EX logos that look right in any font shape provoked me to generate the following stuff that is configurable.

Here's the command for the user to define a new version. The arguments are font family, series and shape, and then the two kern values used in placing the raised 'A' of L^AT_EX.

```
1015 \newcommand{\DeclareLaTeXLogo}[5]{\expandafter\def
1016 \csname @LaTeX@#1/#2/#3\endcsname{#{4}{#5}}}
```

The default values are as used in the source of L^AT_EX itself:

```
1017 \def\@LaTeX@default{.36}{.15}}
```

More are defined in the initial version, for bold CM sans (which is used as `\SecTitleFont`), and CM italic medium and bold, and Bitstream Charter (which Nelson Beebe likes to use). Duplicate for Latin Modern.

```
1018 \DeclareLaTeXLogo{cmss}{bx}{n}{.3}{.15}
1019 \DeclareLaTeXLogo{lmss}{bx}{n}{.3}{.15}
1020 %
1021 \DeclareLaTeXLogo{cmr}{m}{it}{.29}{.2}
1022 \DeclareLaTeXLogo{lmr}{m}{it}{.29}{.2}
1023 %
1024 \DeclareLaTeXLogo{cmr}{m}{sl}{.29}{.15}
1025 \DeclareLaTeXLogo{lmr}{m}{sl}{.29}{.15}
1026 %
1027 \DeclareLaTeXLogo{cmr}{bx}{it}{.29}{.2}
1028 \DeclareLaTeXLogo{lmr}{bx}{it}{.29}{.2}
1029 %
1030 \DeclareLaTeXLogo{cmr}{bx}{sl}{.29}{.2}
1031 \DeclareLaTeXLogo{lmr}{bx}{sl}{.29}{.2}
1032 %
1033 \DeclareLaTeXLogo{bch}{m}{n}{.2}{.08}
1034 \DeclareLaTeXLogo{bch}{m}{it}{.2}{.08}
```

Redefine `\LaTeX` to choose the parameters for the current font, or to use the default value otherwise:

```
1035 \DeclareRobustCommand{\LaTeX}{\expandafter\let\expandafter\reserved@a
1036 \csname @LaTeX@f@family/\f@series/\f@shape\endcsname
1037 \ifx\reserved@a\relax\let\reserved@a\@LaTeX@default\fi
1038 \expandafter\@LaTeX\reserved@a}
```

Here's the body of what was originally `\LaTeX`, pulled out with its roots dripping onto the smoking ruin of original L^AT_EX, and then bits stuck in on the side.

`\@LaTeX@default` provides parameters as one finds in the original; other versions are added as needed.

```
1039 \newcommand{\@LaTeX}[2]{%
1040 %\wlog{latex logo family=\f@family/\f@series/\f@shape -> #1, #2.}%
1041 L\kern-#1em
1042 {\sbox\z@ T%
1043 \vbox to\ht0{\hbox{$\m@th$%
1044 \csname S@\f@size\endcsname
1045 \fontsize\sf@size\z@
1046 \math@fontsfalse\selectfont
1047 A}%
1048 \vss}%
1049 }%
```

```

1050 \kern-#2em%
1051 \TeX}

```

3.13 Authors, contributors, addresses, signatures

An article may have several authors (of course), so we permit an `\author` command for each of them. The names are then stored in a set of `\csnames` called `\author1`, `\author2`, ... Similarly, there are several `\address<n>` and `\netaddress<n>` and `\PersonalURL<n>` and `\ORCID<n>` commands set up for each article.

Comment: [RF] I would like to make provision for several authors at the same address, but (short of preempting the `*` marker, which it would be nice to retain so as to preserve compatibility with the `plain` style) I'm not sure how one would signal it. [KB] Current kludges for multiple author affiliations in `tb143rishi-xml-first`, `tb140rishi-elsarticle`, `tb128ruckert-hint`, etc.

```

1052 \def\theauthor#1{\csname theauthor#1\endcsname}
1053 \def\theaddress#1{\csname theaddress#1\endcsname}
1054 \def\thenetaddress#1{\csname thenetaddress#1\endcsname}
1055 \def\thePersonalURL#1{\csname thePersonalURL#1\endcsname}
1056 \def\theORCID#1{\csname theORCID#1\endcsname}

```

The standard way of listing authors is to iterate from 1 to `\count@` and to pick the author names as we go.

```

1057 <!\latex>\newcount\@tempcnta
1058 \def\@defaultauthorlist{%
1059   \@getauthorlist\@firstofone
1060 }

```

`\@getauthorlist` processes the author list, passing every bit of stuff that needs to be typeset to the macro specified as its argument.

```

1061 \def\@getauthorlist#1{%
1062   \count@\authornumber
1063   \advance\count@ by -2
1064   \@tempcnta0

```

Loop to output the first $n - 2$ of the n authors (the loop does nothing if there are two or fewer authors)

```

1065   \loop
1066     \ifnum\count@>0
1067       \advance\@tempcnta by \@ne
1068       #1{\ignorespaces\theauthor{\number\@tempcnta}\unskip, }%
1069       \advance\count@ by \m@ne
1070   \repeat
1071   \count@\authornumber
1072   \advance\count@ by -\@tempcnta
1073   \ifnum\authornumber>0

```

If there are two or more authors, we output the penultimate author's name here, followed by 'and'

```

1074     \ifnum\count@>1
1075       \count@\authornumber
1076       \advance\count@ by \m@ne
1077       #1{\ignorespaces\theauthor{\number\count@}\unskip\@tubauthorlastsep}%
1078     \fi

```


Finally (if there were any authors at all) output the last author's name:

```
1079 #1{\ignorespaces\theauthor{\number\authornumber}\unskip}
1080 \fi
1081 }
1082 %
1083 \def\@tubauthorlastsep{,}% until 2018, was: "\ and "
```

Signature blocks. The author can (in principle) define a different sort of signature block using `\signature`, though this could well cause the editorial group to have collective kittens (unless it had been discussed in advance...)

```
1084 \def\signature#1{\def\@signature{#1}}
1085 \def\@signature{\@defaultsignature}
```

`\@defaultsignature` loops through all the authors, outputting the details we have about that author, or (if we're in a sub-article) outputs the contributor's name and closes the group opened by `\contributor`. It is (as its name implies) the default body for `\makesignature`

```
1086 \def\@defaultsignature{%
1087   \let\thanks\@gobble
1088   \frenchspacing
1089   %
1090   \ifnum\authornumber<0
```

if `\authornumber < 0`, we are in a contributor's section

```
1091   \medskip
1092   \signaturemark
1093   \theauthor{\number\authornumber}\\
1094   \theaddress{\number\authornumber}\\
1095   \allowhyphens
1096   \thenetaddress{\number\authornumber}\\
1097   \thePersonalURL{\number\authornumber}\\
1098   \theORCID{\number\authornumber}\\
```

`\authornumber ≥ 0`, so we are in the body of an ordinary article:

```
1099   \else
1100     \count@=0
1101     \loop
1102       \ifnum\count@<\authornumber
1103         \medskip
1104         \advance\count@ by \@ne
1105         \signaturemark
1106         \theauthor{\number\count@}\\
1107         \theaddress{\number\count@}\\
1108         {%
1109           \allowhyphens
1110           \thenetaddress{\number\count@}\\
1111           \thePersonalURL{\number\count@}\\
1112           \theORCID{\number\count@}\\
1113         }%
1114     \repeat
1115   \fi
1116 }%
1117 }
1118 \newdimen\signaturewidth \signaturewidth=12pc
```

The optional argument to `\makesignature` is useful in some circumstances (e.g., multi-contributor articles)

```

1119 \newcommand{\makesignature}[1][\medskipamount]{%
      check the value the user has put in \signaturewidth: it may be at most
1.5pc short of \columnwidth
1120 \@tempdima\signaturewidth
1121 \advance\@tempdima 1.5pc
1122 \ifdim \@tempdima>\columnwidth
1123   \signaturewidth \columnwidth
1124   \advance\signaturewidth -1.5pc
1125 \fi
1126 \par
1127 \penalty9000
1128 \vspace{#1}%
1129 \rightline{%
1130   \vbox{\hsize\signaturewidth \ninepoint \raggedright
1131     \parindent \z@ \everypar={\hangindent 1pc }%
1132     \parskip \z@skip
1133     \def\|{\unskip\hfil\break}%
1134     \def\|\{\endgraf}%
1135     \def\phone{\rm Phone: }%
1136     \def\tubmultipleaffilauthor{\unskip,\\\hspace*{1em}}%
1137     \rm\@signature}%
1138 }%
1139 \ifnum\authornumber<0 \endgroup\fi
1140 }
1141 \def\signaturemark{\leavevmode\llap{\$\diamond$\enspace}}

```

The idea here is that if multiple authors share affiliation information, we need only typeset the affiliation once. We separate by commas for the `\maketitle`, and put on separate lines, also with commas, in the `\makesignature`.

Similarly, within `\netaddress`, `!tubmultipleaffilnet` separates with a space before and after the comma. (All this per bb.) See `tb122childs-trotter.ltx`, `tb131sojka-czech.ltx` for examples.

```

1142 \def\tubmultipleaffilauthor{\unskip,\ \ignorespaces}%
1143 \def\tubmultipleaffilnet{\unskip\textrm{\,,\ \ignorespaces}}

```

Now all the awful machinery of author definitions. `\authornumber` records the number of authors we have recorded to date.

```

1144 \newcount\authornumber
1145 \authornumber=0

```

`\author` ‘allocates’ another author name (by bumping `\authornumber`) and also sets up the address and `\netaddress` for this author to produce a warning and to prevent oddities if they’re invoked. This last assumes that invocation will be in the context of `\signature` (`ltugboat.cls`) or `\maketitle` (`ltugproc.cls`); in both cases, invocation is followed by a line break (tabular line break `\|` in `ltugproc`, `\endgraf` in `\makesignature` in `ltugboat`).

```

1146 \def\author{%
1147   \global\advance\authornumber\@ne
1148   \TB@author
1149 }

```

`\contributor` is for a small part of a multiple-part article; it begins a group that will be ended in `\makesignature`.

```
1150 \def\contributor{%
1151   \begingroup
1152   \authornumber\m@ne
1153   \TB@author
1154 }
```

Both ‘types’ of author fall through here to set up the author name and to initialise author-related things. `\EDITORno*` commands allow the editor to record that there’s good reason for an *address* or *netaddress* not to be there, but nowadays, we consider all address information optional.

```
1155 \def\TB@author#1{%
1156   \expandafter\def\csname theauthor\number\authornumber\endcsname
1157     {\ignorespaces#1\unskip}%
1158 %   \expandafter\def\csname theaddress\number\authornumber\endcsname
1159 %     {\TBWarningNL{Address for #1\space missing}\@gobble}%
1160 %   \expandafter\def\csname thenetaddress\number\authornumber\endcsname
1161 %     {\TBWarningNL{Net address for #1\space missing}\@gobble}%
1162   \expandafter\let\csname thePersonalURL\number\authornumber\endcsname
1163     \@gobble
1164   \expandafter\let\csname theORCID\number\authornumber\endcsname
1165     \@gobble
1166 }
1167 \def\EDITORnoaddress{%
1168   \expandafter\let\csname theaddress\number\authornumber\endcsname
1169     \@gobble
1170 }
1171 \def\EDITORnonetaddress{%
1172   \expandafter\let\csname thenetaddress\number\authornumber\endcsname
1173     \@gobble
1174 }
```

`\address` copies its argument into the `\theaddress<n>` for this author.

```
1175 \def\address#1{%
1176   \expandafter\def\csname theaddress\number\authornumber\endcsname
1177     {\leavevmode\ignorespaces#1\unskip}}
```

`\network` is for use within the optional argument of `\netaddress`; it defines the *name* of the network the user is on.

Comment: I think this is a fantasy, since everyone (in practice, nowadays) quotes an internet address. In principle, there are people who will quote X.400 addresses (but they’re few and far between) and I have (during 1995!) seen an address with an UUCP bang-path component on `comp.text.tex`, but *really!*

```
1178 \def\network#1{\def\@network{#1: } }
```

`\netaddress` begins a group, executes an optional argument (which should not, presumably, contain global commands) and then relays to `\@relay@netaddress` with both `@` and `%` made active (so that they can be discretionary points in the address). If we’re using L^AT_EX 2_ε, we use the default-argument form of `\newcommand`; otherwise we write it out in all its horribleness.

```
1179 \newcommand{\netaddress}[1][\relax]{%
```

```

1180 \begingroup
1181 \def\@network{}%

```

Unfortunately, because of the catcode hackery, we have still to do one stage of relaying within our own code, even if we're using L^AT_EX 2_ε.

```

1182 #1\@sanitize\makespace\ \makeactive\@%
1183 \makeescape! \makebgroup[ \makeegroup]% seems more useful than literals
1184 \makeactive\.\makeactive%\@relay@netaddress}%

```

`\@relay@netaddress` finishes the job. It sets `\thenetaddress` for this author to contain the network name followed by the address. As a result of our kerfuffle above, `@` and `%` are active at the point we're entered. We ensure they're active when `\thenetaddress` gets expanded, too. (*WOT?!*)

```

1185 \def\@relay@netaddress#1{%
1186 \ProtectNetChars
1187 \expandafter\protected@xdef
1188 \csname thenetaddress\number\authornumber\endcsname
1189 {\protect\leavevmode\textrm{\@network}}%
1190 {\protect\NetAddrChars\net
1191 \ignorespaces#1\unskip}}%
1192 \endgroup
1193 }

```

We `\personalURL` quite differently from `\netaddress`: it is set up to simply call `\tburl`, which makes a live link if possible, and also removes a leading protocol. Thus the argument has to be a true url, not just a random string, but that restriction seems ok to get the benefits. Since `\tburl` handles all the catcoding, no need to do any of that here.

```

1194 \def\personalURL#1{%
1195 % define \cs{thePersonalURL}\meta{n} for author \meta{n}'s \personalURL.
1196 \expandafter\protected@xdef
1197 \csname thePersonalURL\number\authornumber\endcsname{%
1198 \protect\leavevmode
1199 \ignorespaces
1200 \protect\tburl{#1}}%
1201 \unskip
1202 }%
1203 }

```

Previously: `\personalURL` was similar to `\netaddress`, apart from (1) the lack of the eccentric optional argument, (2) the activation of `'/`. This is the old definition, no longer used (left here just for posterity); new definition is just above.

```

1204 %\def\personalURL{\begingroup
1205 % \@sanitize\makespace\ \makeactive\@%
1206 % \makeactive\.\makeactive%\makeactive\/%
1207 % \@personalURL}%
1208 %\def\@personalURL#1{%
1209 % \ProtectNetChars
1210 % % define \cs{thePersonalURL}\meta{n} for author \meta{n}.
1211 % \expandafter\protected@xdef
1212 % \csname thePersonalURL\number\authornumber\endcsname{%
1213 % \protect\leavevmode
1214 % {%

```

```

1215 %      \protect\URLchars
1216 %      \net
1217 %      \ignorespaces\protect\tburl{#1}\unskip
1218 %    }%
1219 %  }%
1220 % \endgroup
1221 %}

```

Define the activation mechanism for '@', '%', '.' and '/', for use in the above. Note that, since the code has '%' active, we have '*' as a comment character, which has a tendency to make things look peculiar...

```

1222 {%
1223 \makecomment\*
1224 \makeactive\@
1225 \gdef\netaddrat{\makeactive\@*
1226   \def@{\discretionary{\char"40}{\char"40}}
1227 \makeactive\%
1228 \gdef\netaddrpercent{\makeactive\%*
1229   \def%{\discretionary{\char"25}{\char"25}}
1230 \makeactive\.
1231 \gdef\netaddrdot{\makeactive\.*
1232   \def.{\discretionary{\char"2E}{\char"2E}}

```

\NetAddrChars is what *we* use (we're constrained to retain the old interface to this stuff, but it *is* clunky...). Since URLs are a new idea, we are at liberty not to define a separate \netaddrslash command, and we only have \URLchars.

```

1233 \gdef\NetAddrChars{\netaddrat \netaddrpercent \netaddrdot}
1234 \makeactive\/
1235 \gdef\URLchars{*
1236   \NetAddrChars
1237   \makeactive\/*
1238   \def/{\discretionary{\char"2F}{\char"2F}}

```

\ProtectNetChars includes protecting '/', since this does no harm in the case of net addresses (where it's not going to be active) and we thereby gain by not having yet another csname.

```

1239 \gdef\ProtectNetChars{*
1240   \def@{\protect@}*
1241   \def%{\protect%}*
1242   \def.{\protect.}*
1243   \def/{\protect/}*
1244   }
1245 }

```

L^AT_EX 2_ε (in its wisdom) suppresses \DeclareOldFontCommand when in compatibility mode, so that in that circumstance we need to use a declaration copied from latex209.def rather than the way we would normally do the thing (using the command L^AT_EX 2_ε defines for the job).

```

1246 \if@compatibility
1247 \DeclareRobustCommand{\net}{\normalfont\ttfamily\mathgroup\symtypewriter}
1248 \else
1249 \DeclareOldFontCommand{\net}{\ttfamily\upshape\mdseries}{\mathtt}
1250 \fi
1251 \def\authorlist#1{\def\@author{#1}}

```

```
1252 \def\@author{\@defaultauthorlist}
```

\ORCID inserts ‘ORCID’ and then argument into the \theORCID<n> for this author. Also, we want \small for this.

```
1253 \def\ORCID#1{%
1254   \expandafter\def\csname theORCID\number\authornumber\endcsname
1255     {\leavevmode \ignorespaces {\SMC ORCID} #1\unskip}}
```

For the online re-publication (as of 2009) by Mathematical Sciences Publishers <http://mathscipub.org>, lots and lots of metadata is needed, much of it redundant with things we already do. They are flexible enough to allow us to specify it in any reasonable way, so let’s make one command \mspmetavar which takes two arguments. Example: \mspmetavar{volumenumber}{30}. For our purposes, it is just a no-op. And this initiative never came to anything, so it is not used at all.

```
\mspmetavar
```

```
1256 \def\mspmetavar#1#2{}
```

3.14 Article title

```
\if@articletitle \maketitle takes an optional “*”; if present, the operation is not defining the
\maketitle title of a paper, merely that of a “business” section (such as the participants at
\@r@maketitle a meeting) that has no credited author or other title. In this case, the command
flushes out the latest \sectitle (or whatever) but does nothing else.
```

Provide machinery (\PreTitleDrop to skip extra space, even one or more full columns, above the top of an article to leave space to paste up a previous article that has finished on the same page. This is a fall back to accommodate the fact that multiple articles cannot be run together easily.

In addition, if the secondcolstart option was specified, do \null\newpage to move over. This is separate from \PreTitleDrop, for no particular reason.

```
1257 \newif\if@articletitle
1258 \def\maketitle{\@ifstar
1259   {\@articletitlefalse\@r@maketitle}%
1260   {\@articletitletrue\@r@maketitle}%
1261 }
1262 \def\@r@maketitle{\par
1263   \iftubsecondcolstart \null\newpage\tubsecondcolstartextra \fi
1264   \ifdim\PreTitleDrop > \z@
1265     \loop
1266     \ifdim \PreTitleDrop > \textheight
1267       \vbox{\vfil\ejct
1268         \advance\PreTitleDrop by -\textheight
1269       \repeat
1270     \vbox to \PreTitleDrop{\vfil}%
1271     \global\PreTitleDrop=\z@
1272   \fi
1273   \begingroup
1274   \setcounter{footnote}{0}
1275   \global\@topnum\z@ % disallow floats above the title
1276   \def\thefootnote{\fnsymbol{footnote}}
1277   \@maketitle
1278   \@thanks
1279   \endgroup
```

```

1280 \setcounter{footnote}{0}
1281 \gdef\@thanks{}
1282 }

```

`\title` We redefine the `\title` command, so as to set the `\rhTitle` command at the same time. While we're at it, we redefine it to have optional arguments for use as 'short' versions, thus obviating the need for users to use the `\shortTitle` command.

```

1283 \def\rhTitle{}% avoid error if no author or title
1284 \renewcommand{\title}{\@dblarg\TB@title}
1285 \def\TB@title[#1]#2{\gdef\@title{#2}%
1286   \bgroup
1287     \let\thanks\@gobble
1288     \def\{\unskip\space\ignorespaces}%
1289     \protected@xdef\rhTitle{#1}%
1290   \egroup
1291 }

```

`\shortTitle` The `\rh*` commands are versions to be used in the running head of the article. `\ifshortAuthor` Normally, they are the same things as the author and title of the article, but in the `\shortAuthor` case that there are confusions therein, the text should provide substitutes, using the `\short*` commands.

```

1292 \def\shortTitle #1{\def\rhTitle{#1}}
1293 \newif\ifshortAuthor
1294 \def\shortAuthor #1{\def\rhAuthor{#1}\shortAuthortrue}

```

3.15 Section titles

The following macros are used to set the large *TUGboat* section heads (e.g. "General Delivery", "Fonts", etc.)

Define the distance between articles which are run together:

```

1295 \def\secsep{\vskip 5\baselineskip}

```

Note that `\stbaselineskip` is used in the definition of `\sectitlefont`, in $\text{\LaTeX} 2_{\epsilon}$, so that it has (at least) to be defined before `\sectitlefont` is used (we do the whole job).

```

1296 \newdimen\stbaselineskip      \stbaselineskip=18\p@
1297 \newdimen\stfontheight
1298 \settoheight{\stfontheight}{\sectitlefont 0}

```

Declaring section titles; the conditional `\ifSecTitle` records the occurrence of a `\sectitle` command. If (when) a subsequent `\maketitle` occurs, the section title box will get flushed out; as a result of this, one could in principle have a set of `\sectitle` commands in a semi-fixed steering file, and inclusions of files inserted only as and when papers have appeared. Only the last `\sectitle` will actually be executed.

```

1299 \newif\ifWideSecTitle
1300 \newif\iftubtitlerulefullwidth
1301 \newif\ifSecTitle \SecTitlefalse
1302 \newcommand{\sectitle}{%
1303   \SecTiteltrue
1304   \@ifstar
1305     {\WideSecTiteltrue\def\s@ctitle}%

```

```

1306   {\WideSecTitlefalse\def\s@ctitle}%
1307 }

```

`\PreTitleDrop` records the amount of column-space we need to eject before we start any given paper. It gets zeroed after that ejection has happened.

```

1308 \newdimen\PreTitleDrop   \PreTitleDrop=\z@

```

The other parameters used in `\@sectitle`; I don't think there's the slightest requirement for them to be registers (since they're constant values, AFAIK), but converting them to macros would remove the essentially useless functionality of being able to change them using assignment, which I'm not about to struggle with just now...

`\AboveTitleSkip` is glue above the article title; `\BelowTitleSkip` is glue below the authors in the title block. `\strulethickness` is the value to use for `\fboxrule` when setting the title, and for the rule above titles when there is no box.

For `\BelowTitleSkip`, add some stretch and shrink since the first column of an article often needs it; otherwise, a first column of all text will come out underfull. Use `plus2pt` since that is the same as the glue above sections, but `minus1pt` since we'd usually prefer to shrink somewhere else if possible.

```

1309 \newskip\AboveTitleSkip   \AboveTitleSkip=12pt
1310 \newskip\BelowTitleSkip   \BelowTitleSkip=8pt plus2pt minus1pt
1311 \newdimen\strulethickness \strulethickness=.6pt

```

`\@sectitle` actually generates the section title (in a rather generous box). It gets called from `\maketitle` under conditional `\ifSecTitle`; by the time `\@sectitle` takes control, we already have `\SecTitlefalse`. This implementation uses L^AT_EX's `\framebox` command, on the grounds that one doesn't keep a dog and bark for oneself...

```

1312 \def\@sectitle #1{%
1313   \par
1314   \penalty-1000

```

If we're setting a wide title, the stuff will be at the top of a page (let alone a column) but inside a box, so that the separator won't be discardable: so don't create the separator in this case.

```

1315   \ifWideSecTitle\else\secsep\fi
1316   {%
1317     \fboxrule\strulethickness
1318     \fboxsep\z@
1319     \noindent\framebox[\hsize]{%
1320       \vbox{%
1321         \raggedcenter
1322         \let\\\@sectitle@newline
1323         \sectitlefont
1324         \makestrut[2\stfontheight;\z@]%
1325         #1%
1326         \makestrut[\z@;\stfontheight]\endgraf
1327       }%
1328     }%
1329   }%
1330   \nobreak
1331   \vskip\baselineskip

```



```
1332 }
```

`\@sectitle@newline` For use inside `\sectitle` as `\\`. Works similarly to `\\` in the “real world”—uses an optional argument

```
1333 \newcommand{\@sectitle@newline}[1][\z@]{%
1334   \ifdim#1>\z@
1335     \makestrut[\z@;#1]%
1336   \fi
1337   \unskip\break
1338 }
```

We need to trigger the making of a section title in some cases where we don’t have a section title proper (for example, in material taken over from TTN).

```
1339 \def\@makesectitle{\ifSecTitle
1340   \global\SecTitlefalse
1341   \ifWideSecTitle
1342     \twocolumn[\@sectitle{\s@ctitle}]%
1343     \global\WideSecTitlefalse
1344   \else
1345     \@sectitle{\s@ctitle}%
1346   \fi
1347 \else
1348   \vskip\AboveTitleSkip
1349   \kern\topskip
1350   \hrule \@height\z@ \@depth\z@ \@width 10\p@
1351   \kern-\topskip
1352   \kern-\strulethickness
1353   \iftubtitlerulefullwidth
1354     \hrule \@height\strulethickness \@depth\z@ width\textwidth
1355   \else
1356     \hrule \@height\strulethickness \@depth\z@
1357   \fi
1358   \kern\medskipamount
1359   \nobreak
1360 \fi
1361 }
```

`\@maketitle` Finally, the body of `\maketitle` itself.

```
1362 \def\@maketitle{%
1363   \@makesectitle
1364   \if@articletitle{%
1365     \nohyphens \interlinepenalty\@M
1366     \setbox0=\hbox{%
1367       \let\thanks\@gobble
1368       \let\=\quad
1369       \let\and=\quad
1370       \ignorespaces\@author}%
1371     {%
1372       \noindent\bf\raggedright\ignorespaces\frenchspacing
1373       \let\BibTeX=\bfBibTeX % else LaTeX Font Warning:
1374                               % Font shape ‘OT1/cmr/bx/sc’ undefined
1375       \@title\endgraf
1376     }%
1377     \ifdim \wd0 < 5\p@           % omit if author is null
```

```

1378     \else
Since we have \BelowTitleSkip + 4pt = \baselineskip, we skip by 4pt here.
However, an all-text first column still comes out underfull, maybe because of the
top rule? Thus \BelowTitleSkip is given a little stretch and shrink.
1379     \nobreak \vskip 4\p@
1380     {%
1381     \leftskip=\normalparindent
1382     \raggedright
1383     \def\and{\unskip\}%
1384     \noindent\@author\endgraf
1385     }%
1386     \fi
1387     \nobreak
1388     \vskip\BelowTitleSkip
1389 } \fi%
1390 \global\@afterindentfalse
1391 \aftergroup\@afterheading
1392 }

```

Dedications are ragged right, in italics.

```

1393 \newenvironment{dedication}%
1394   {\raggedright\noindent\itshape\ignorespaces}%
1395   {\endgraf\medskip}

```

The `abstract` and `longabstract` environments both use `\section*`. For one-column articles (or in `ltugproc` class), indent the abstract. This is done in the usual bizarre L^AT_EX way, by treating it as a one-item list with an empty item marker.

```

1396 \def\@tubonecolumnabstractstart{%
1397   \list{}{\listparindent\normalparindent
1398     \itemindent\z@ \leftmargin\@tubfullpageindent
1399     \rightmargin\leftmargin \parsep \z@}\item[]\ignorespaces
1400 }
1401 \def\@tubonecolumnabstractfinish{%
1402   \endlist
1403 }
1404 \renewenvironment{abstract}%
1405   {\begin{SafeSection}%
1406     \section*{%
1407       \if@tubtwocolumn\else \hspace*\@tubfullpageindent\fi
1408       Abstract}%
1409     \if@tubtwocolumn\else \@tubonecolumnabstractstart \fi
1410   }%
1411   {\if@tubtwocolumn\else \@tubonecolumnabstractfinish \fi
1412   \end{SafeSection}}
1413 \newenvironment{longabstract}%
1414   {\begin{SafeSection}%
1415     \section*{Abstract}%
1416     \bgroup\small
1417   }%
1418   {\endgraf\egroup
1419   \end{SafeSection}%
1420   \vspace{.25\baselineskip}

```

```

1421 \begin{center}
1422   {$--*--$}
1423 \end{center}
1424 \vspace{.5\baselineskip}}

```

3.16 Section headings

Redefine style of section headings to match plain *TUGboat*. Negative before skip suppresses following parindent. (So negate the stretch and shrink too).

These macros are called `*head` in the plain styles.

Relaying via `\TB@startsection` detects inappropriate use of `\section*`. Of course, if (when) *we* use it, we need to avoid that relaying; this can be done by `\letting \TB@startsection` to `\TB@safe@startsection`, within a group.

First the version for use in the default case, when class option `NUMBERSEC` is in effect.

The `\tubsecfmt` macro defines our standard formatting for section titles: ragged right, french spacing, no hyphenation. The `\tubruninsecfmt` macro is the simpler form for run-in section headings (when the `afterskip` is negative), with the `afterskip` glue given by `\tubruninglue`. The `\tubsechook` macro allows overriding the defaults.

```

1425 \def\tubsechook{}
1426 \def\tubsecfmt{\normalsize\bf\raggedright\frenchspacing\nohyphens\tubsechook}
1427 \def\tubruninglue{-1em plus-2\fontdimen3\font minus-\fontdimen4\font}
1428 \def\tubruninsecfmt{\normalsize\bf\tubsechook}
1429 %
1430 \if@numbersec
1431   \def\section{\TB@startsection{%
1432     {section}           % name of counter
1433     {1}                 % level
1434     {0pt}               % indent
1435     {-8pt plus-2pt minus-2pt} % before skip; negative -> \noindent after
1436     {4pt}               % after skip; negative -> hspace for run-in
1437     {\tubsecfmt}}}      % style
1438 %
1439   \def\subsection{\TB@startsection{%
1440     {subsection}%
1441     2%
1442     \z@
1443     {-8\p@ \@plus-2\p@ \@minus-2\p@}%
1444     {4\p@}%
1445     {\tubsecfmt}}}
1446 %
1447   \def\subsubsection{\TB@startsection{%
1448     {subsubsection}%
1449     3%
1450     \z@
1451     {-8\p@ \@plus-2\p@ \@minus-2\p@}%
1452     {4\p@}%
1453     {\tubsecfmt}}}
1454 %
1455   \def\paragraph{\TB@startsection{%
1456     {paragraph}%

```

```

1457     4%
1458     \z@
1459     {4\p@ \@plus1\p@ \@minus1\p@}%
1460     {\tubruninglue}
1461     {\tubruninsecfmt}}

```

Now the version if class option `nonumber` is in effect, i.e., if `\if@numbersec` is false.

```

1462 \else
1463   \setcounter{secnumdepth}{0}
1464   \def\section{\TB@nolimelabel\TB@startsection{%
1465     {section}% same as numbered
1466     1%
1467     \z@
1468     {-8\p@ \@plus-2\p@ \@minus-2\p@}%
1469     {4\p@}%
1470     {\tubsecfmt}}}
1471   %
1472   \def\subsection{\TB@nolimelabel\TB@startsection{%
1473     {subsection}%
1474     2%
1475     \z@
1476     {-8\p@ \@plus-2\p@ \@minus-2\p@}%
1477     {\tubruninglue}
1478     {\tubruninsecfmt}}}
1479   %
1480   \def\subsubsection{\TB@nolimelabel\TB@startsection{%
1481     {subsubsection}%
1482     3%
1483     \parindent
1484     {-8\p@ \@plus-2\p@ \@minus-2\p@}%
1485     {\tubruninglue}
1486     {\tubruninsecfmt}}}
1487 \fi

```

`\TB@startsection` used to warn about * versions of sectioning commands when numbering wasn't in effect. But that eventually seemed a useless complaint, since it can be useful to switch back and forth between numbered and unnumbered can be useful during article development. So now `\TB@startsection` is just a synonym for `\@startsection`.

```

1488 \def\TB@startsection#1{\@startsection#1}%

```

`\TB@safe@startsection` is to be used where `\section*` (etc.) appear in places where the request is OK (because it's built in to some macro we don't fiddle with).

```

1489 \def\TB@safe@startsection#1{\@startsection#1}

```

The `SafeSection` environment allows use of *-forms of sectioning environments. It's not documented for the general public: it's intended as an editor's facility.

```

1490 \newenvironment{SafeSection}%
1491   {\let\TB@startsection\TB@safe@startsection}%
1492   {}

```

And now for the exciting sectioning commands that L^AT_EX defines but we don't have a definition for (whatever else, we don't want Lamport's originals, which come out 'like the blare of a bugle in a lullaby'¹).

The three inappropriate ones are subparagraph (indistinguishable from paragraph), and chapter and part. The last seemed almost to be defined in an early version of these macros, since there was a definition of `\l@part`. I've not got down to where that came from (or why). If class option `NONUMBER` is in effect, we also suppress `\paragraph`, since it has no parallel in the plain style.

```

1493 \if@numbersec
1494   \def\subparagraph{\TB@nosection\subparagraph\paragraph}
1495 \else
1496   \def\paragraph{\TB@nosection\paragraph\subsubsection}
1497   \def\subparagraph{\TB@nosection\subparagraph\subsubsection}
1498 \fi
1499 \def\chapter{\TB@nosection\chapter\section}
1500 \def\part{\TB@nosection\part\section}
1501 \def\TB@nosection#1#2{\TBwarning{class does not support \string#1,
1502   \string#2\space used instead}#2}

```

`\l@<sectioninglevel>` is for table of contents (of an article). We define new macros to allow easily changing the font used for toc entries (for *TUGboat*, we usually want roman, not bold), and the space between entries. Nelson Beebe and Frank Mittelbach's articles often have toc's (and few others). Also turn off microtype protrusion after

Contents

, or leaders get messed up.

```

1503 \def\TBtocsectionfont{\normalfont}
1504 \newskip\TBtocsectionsace \TBtocsectionsace=1.0ex\plus\p@
1505 % |#1| is both the section number and title, as in
1506 %   |{\numberline {1}Introduction}|.
1507 % |#2| is the page number.
1508 %
1509 % Per Ulrike, the hook calls are for tagging, introduced with the
1510 % June 2023 \LaTeX.
1511 % qqq need to also do subsections like tb137carlisle to avoid hyphenation
1512 \def\l@section#1#2{%
1513   \addpenalty{\@secpenalty}%
1514   \addvspace{\TBtocsectionsace}%
1515   \@tempdima 1.5em
1516   \begingroup
1517     \parindent\z@
1518     \rightskip=0pt plus2em
1519     \parfillskip\z@
1520     \hyphenpenalty=10000
1521     \TBtocsectionfont
1522     \leavevmode
1523     \advance\leftskip by \@tempdima % space between section number and text
1524     \hskip-\leftskip

```

¹Thurber, *The Wonderful O*

```

1525 %
1526 \ifx\UseHookWithArguments\undefined\else % hook before number and text
1527   \UseHookWithArguments{contentsline/text/before}{4}
1528   {\toclevel@part}{#1}{#2}{\@contentsline@destination}%
1529 \fi
1530 %
1531 % don't worry if this cs is not defined, hence the \csname.
1532 % If it doesn't exist, we just typeset #1 as text.
1533 \csname contentsline@text@1@format\endcsname
1534 {#1% number and title
1535   \unskip % avoid extra space just in case
1536   \csname pdfmakespace\endcsname % fake space if pdftex
1537   ~% ensure at least a word space between text and page number
1538 }
1539 %
1540 \ifx\UseHookWithArguments\undefined\else % hook after number and text
1541   \UseHookWithArguments{contentsline/text/after}{4}
1542   {\toclevel@part}{#1}{#2}{\@contentsline@destination}%
1543 \fi
1544 \nobreak\hfil
1545 \nobreak
1546 % page number
1547 \hb@xt@\@pnumwidth{\hfil
1548   \ifx\UseHookWithArguments\undefined\else
1549     \UseHookWithArguments{contentsline/page/before}{4}
1550     {\toclevel@part}{#1}{#2}{\@contentsline@destination}%
1551   \fi
1552   \tubtypesetpageno{#2}%
1553   \ifx\UseHookWithArguments\undefined\else
1554     \UseHookWithArguments{contentsline/page/after}{4}
1555     {\toclevel@part}{#1}{#2}{\@contentsline@destination}%
1556   \fi
1557 } \par
1558 \endgroup}

```

3.17 Appendices

Appendices (which are really just another sort of section heading) raise a problem: if the sections are unnumbered, we plainly need to restore the section numbering, which in turn allows labelling of section numbers again (`\TBnolime` happens before the `\refstepcounter`, so its effects get lost . . . what a clever piece of design that was). So here we go:

```

1559 \renewcommand{\appendix}{\par
1560   \renewcommand{\thesection}{\@Alph@c@section}%
1561   \setcounter{section}{0}%
1562   \if@numbersec
1563   \else
1564     \setcounter{secnumdepth}{1}%
1565   \fi

```

Now: is this the start of an appendix environment? This can be detected by looking at `\@currentenv`; if we are, we need to relay to `\@appendix@env` to pick up the optional argument.

```

1566 \def\@tempa{appendix}
1567 \ifx\@tempa\@currentvir
1568   \expandafter\@appendix@env
1569   \fi
1570 }

    Here we deal with \begin{appendix}[\langle app-name \rangle]

1571 \newcommand{\app@prefix@section}{}
1572 \newcommand{\@appendix@env}[1][Appendix]{%
1573   \renewcommand{\@seccntformat}[1]{\csname app@prefix@##1\endcsname
1574     \csname the##1\endcsname\quad}%
1575   \renewcommand{\app@prefix@section}{#1 }%
1576 }

    Ending an appendix environment is pretty trivial...
1577 \let\endappendix\relax

```

3.18 References

If the sections aren't numbered, the natural tendency of the author to cross-reference (which, after all, is one of the things L^AT_EX is for ever being advertised as being good at) can cause headaches.

The following command is used by each of the sectioning commands to make a following `\ref` command bloop at the author. Even if the author then ignores the complaint, the poor old editor may find the offending `\label` rather more easily.

(Note that macro name is to be read as “*noli me label*” (I don't know the mediæval Latin for ‘label’).

Comment To come (perhaps): detection of the act of labelling, and an analogue of `\ifG@refundefined` for this sort of label

```

1578 \def\TB@nolimelabel{%
1579   \def\@currentlabel{%
1580     \protect\TBwarning{%
1581       Invalid reference to numbered label on page \thepage
1582       \MessageBreak made%
1583     }%
1584     \textbf{?!?}%
1585   }%
1586 }

```

3.19 Title references

This is a first cut at a mechanism for referencing by the title of a section; it employs the delightfully simple idea Sebastian Raatz has in the `nameref` package (which is part of `hyperref`). As it stands, it lacks some of the bells and whistles of the original, but they could be added; this is merely proof-of-concept.

The name label comes from the moveable bit of the section argument; we subvert the `\@sect` and `\@ssect` commands (the latter deals with starred section commands) to grab the relevant argument.

As of the June 2023 L^AT_EX (or somewhat earlier, but this is good enough), there are hooks that allow us to avoid redefinig `\@sect` and `\@ssect`.

```

1587 \@ifl@t@r\fmtversion{2023-06-01}{-}{-%
1588 \let\TB@@sect\@sect
1589 \let\TB@@ssect\@ssect
1590 \def\@sect#1#2#3#4#5#6[#7]#8{%
1591   \def\@currentlabelname{#7}%
1592   \TB@@sect{#1}{#2}{#3}{#4}{#5}{#6} [{#7}] {#8}%
1593 }
1594 \def\@ssect#1#2#3#4#5{%
1595   \def\@currentlabelname{#5}%
1596   \TB@@ssect{#1}{#2}{#3}{#4}{#5}%
1597 }
1598 } % LaTeX earlier than June 2023

```

We output the name label as a second `\newlabel` command in the `.aux` file. That way, packages such as `varioref` which also read the `.aux` information can still work. So we redefine `\label` to first call the standard L^AT_EX `\label` and then write our named label as `nr<label>`.

Similarly, we only need this with pre-June 2023 L^AT_EX. With more recent LaTeX, define `currentlabelname` via hooks.

```

1599 \@ifl@t@r\fmtversion{2023-06-01}{-}{-%
1600   \RequirePackage{getttitlestring}
1601   \AddToHookWithArguments{cmd/@sect/before}{-%
1602     \GetTitleString{#7}%
1603     \let\@currentlabelname\GetTitleStringResult}%
1604   \AddToHookWithArguments{cmd/@ssect/before}{-%
1605     \GetTitleString{#5}%
1606     \let\@currentlabelname\GetTitleStringResult}%
1607 }{% else older latex:
1608   \let\@savelatexlabel=\label % so save original LaTeX command
1609   %
1610   \def\label#1{%
1611     \@savelatexlabel{#1}%
1612     \@bsphack
1613     \if@filesw
1614       \protected@write\@auxout{%
1615         {\string\newlabel{nr@#1}{\@currentlabel}{\@currentlabelname}}}%
1616       \fi
1617     \@esphack}
1618   % in case there are no sectioning commands:
1619   \let\@currentlabelname\@empty
1620 }

```

Getting named references is then just like getting page references in the L^AT_EX kernel (see `ltxref.dtx`).

The above was written by RobinF decades ago; the macros in *TUGboat* were never changed. Meanwhile, the `\nameref` in `hyperref` has changed many times, and we want to use its version if available. So we provide our `\nameref` `\AtBeginDocument`, so as not to overwrite any previous version. Until May 2022, `hyperref` silently overwrote an existing definition, that is, *TUGboat*'s. But now it is no longer silent.

It seems that all the internal definitions above do not cause problems, so just let them alone.

```

1621 \AtBeginDocument{%
1622   \ifl@t@r\fmtversion{2023-06-01}%
1623   { % after June 2023, LaTeX stores the label name; use that.
1624     \long\def\@thirdoffive#1#2#3#4#5{#3}
1625     \providecommand\nameref[1]{%
1626       \expandafter\@setref
1627       \csname r@#1\endcsname\@thirdoffive{#1}}%
1628   }
1629   { % for earlier versions, still avoid overwriting \nameref per above.
1630     % but if not otherwise defined, use the "nr" label defined by our \label.
1631     \providecommand\nameref[1]{%
1632       \expandafter\@setref
1633       \csname r@nr@#1\endcsname\@secondoftwo{#1}}%
1634   }%
1635 }

```

3.20 Float captions

By analogy with what we've just done to section titles and the like, we now do our best to discourage hyphenation within captions. We also typeset them in `\small` (actually `\tubcaptionfonts`).

First, let's define a dimension by which we will indent full-page captions. We'll also use this to indent abstracts in proceedings style.

`\@tubfullpageindent`

```

1636 \newdimen\@tubfullpageindent
1637 \@tubfullpageindent = \if@tubtwocolumn 4.875pc \else 3.875pc \fi

```

One-line captions are normally centered, but sometimes we want to set them flush left for consistency with other nearby figures.

`\tubcaptionleftglue`

```

1638 \let\tubcaptionleftglue=\hfil

```

For *TUGboat*, we like 9pt captions to help differentiate from the main text. Make a macro so we can easily override.

```

1639 \def\tubcaptionfonts{\small}%
    Ok, here is \@makecaption.
1640 \long\def\@makecaption#1#2{%
1641   \vskip\abovecaptionskip
1642   % try in an hbox:
1643   \sbox\@tempboxa{\tubcaptionfonts \frenchspacing \tubmakecaptionbox{#1}{#2}}%
1644   \ifdim \wd\@tempboxa > \hsize
1645     {% caption doesn't fit on one line; set as a paragraph.
1646       \tubcaptionfonts \raggedright \hyphenpenalty=\@M \parindent=1em
1647       % indent full-width captions {figure*}, but not single-column {figure}.
1648       \ifdim\hsize = \textwidth
1649         \leftskip=\@tubfullpageindent \rightskip=\leftskip
1650         \advance\rightskip by 0pt plus 2em % increase acceptable raggedness
1651       \fi
1652       \noindent \tubmakecaptionbox{#1}{#2}\par}%

```

```

1653 \else
1654   % fits on one line; use the hbox, usually centered. Do not reset its glue.
1655   \global\@minipagefalse
1656   \hb@xt@\hsize{\tubcaptionleftglue\box\@tempboxa\hfil}%
1657   \fi
1658   \vskip\belowcaptionskip}

```

Also use `\tubcaptionfonts` for the caption labels, and put the label (e.g., “Figure 1”) in bold. Use a macro so we can override.

```

1659 \def\tubmakecaptionbox#1#2{{\tubcaptionfonts\textbf{#1}}:\ #2}%

```

We used to switch the labels into bold this way, but it’s better to do it as part of `\@makecaption` since then it will apply to other floating types, such as those created by the `newfloat` package. (E.g., `tb142duck-pylatex`.)

```

\def\fnun@figure{{\tubcaptionfonts \bf \figurename\nobreakspace\thefigure}}
\def\fnun@table{{\tubcaptionfonts \bf \tablename\nobreakspace\thetable}}

```

If the `listings` package is being used, bold for its label too; this `\def` is too early, but maybe `listings` will play nice later.

```

1660 \def\lstlistingnamestyle{\bfseries}

```

Let’s reduce the default space above captions a bit, and give it some flexibility. The default is 10pt, which seems too much.

```

1661 \setlength\abovcaptionskip{3pt plus1pt minus1pt}

```

Let’s also reduce the space between floats, and between floats and text. Strangely, it seems to be these that count, rather than `\dbl...`, at least sometimes.

```

1662 \setlength\floatsep { 9pt plus3pt minus2pt} % default 12pt plus2pt minus2pt
1663 \setlength\textfloatsep{12pt plus4pt minus3pt} % default 20pt plus2pt minus4pt

```

We want to allow more floats at the top/bottom/everywhere on a page; all depends on their content.

```

1664 \setcounter{bottomnumber}{2} % default 1
1665 \setcounter{topnumber}{4}    % default 2
1666 \setcounter{totalnumber}{6} % default 3

```

3.21 Size changing commands

Apart from their ‘normal’ effects, these commands change the glue around displays.

```

1667 \renewcommand{\normalsize}{%
1668   \@setfontsize\normalsize\@xpt\@xipt
1669   \abovedisplayskip=3\p@\@plus 3\p@\@minus\p@
1670   \belowdisplayskip=\abovedisplayskip
1671   \abovedisplayshortskip=\z@\@plus 3\p@
1672   \belowdisplayshortskip=\p@\@plus 3\p@\@minus\p@
1673 }
1674
1675 \renewcommand{\small}{%
1676   \@setfontsize\small\@ixpt{11}%
1677   \abovedisplayskip=2.5\p@\@plus 2.5\p@\@minus\p@
1678   \belowdisplayskip=\abovedisplayskip
1679   \abovedisplayshortskip=\z@\@plus 2\p@
1680   \belowdisplayshortskip=\p@\@plus 2\p@\@minus\p@

```

```

1681 }
1682
1683 \renewcommand{\footnotesize}{%
1684   \@setfontsize\footnotesize\@viipt{9.5}%
1685   \abovedisplayskip=3\p@\@plus 3\p@\@minus\p@
1686   \belowdisplayskip=\abovedisplayskip
1687   \abovedisplayshortskip=\z@\@plus 3\p@
1688   \belowdisplayshortskip=\p@\@plus 3\p@\@minus\p@
1689 }

```

3.22 Lists and other text inclusions

```

1690 \def\@listi{%
1691   \leftmargin\leftmargini\parsep=\p@\@plus\p@\@minus\p@
1692   \itemsep=\parsep
1693   \listparindent=1em
1694 }
1695
1696 \def\@listii{%
1697   \leftmargin\leftmarginii
1698   \labelwidth=\leftmarginii \advance\labelwidth-\labelsep
1699   \topsep=2\p@\@plus\p@\@minus\p@ % space between first item and preceding
1700   \parsep=\p@\@plus\p@\@minus\p@
1701   \itemsep=\parsep % space between successive items
1702   \listparindent=1em % indentation of subsequent paragraphs
1703 }
1704
1705 \def\@listiii{%
1706   \leftmargin=\leftmarginiii
1707   \labelwidth=\leftmarginiii \advance\labelwidth-\labelsep
1708   \topsep=\p@\@plus\p@\@minus\p@
1709   \parsep=\z@
1710   \itemsep=\topsep
1711   \listparindent=1em
1712 }
1713 \def\quote{\list{}{\rightmargin.5\leftmargin}\item[]}

```

From Dominik Wujastyk's font article. First paragraph of a quotation will not be indented, and right margin is decreased for narrow columns.

```

1714 \renewcommand{\quotation}{\list{}{\listparindent 1.5em
1715   \rightmargin.5\leftmargin\parsep \z@\@plus\p@}\item[]}

```

The `compactitemize`, `compactenumerate`, and `compactdescription` environments, without space between the items.

```

1716 \newenvironment{compactitemize}%
1717   {\begin{itemize}%
1718     \setlength{\itemsep}{0pt}%
1719     \setlength{\parskip}{0pt}%
1720     \setlength{\parsep}{0pt}%
1721   }%
1722   {\end{itemize}}
1723 %
1724 \newenvironment{compactenumerate}%
1725   {\begin{enumerate}%
1726     \setlength{\itemsep}{0pt}%

```

```

1727     \setlength{\parskip}{0pt}%
1728     \setlength{\parsep}{0pt}%
1729   }%
1730   {\end{enumerate}}
1731 %
1732 \newenvironment{compactdescription}%
1733   {\begin{description}%
1734     \setlength{\itemsep}{0pt}%
1735     \setlength{\parskip}{0pt}%
1736     \setlength{\parsep}{0pt}%
1737   }%
1738   {\end{description}}
1739 %

```

3.23 Some fun with verbatim

The plain *TUGboat* style allows [optional] arguments to its `\verbatim` command. This will allow the author (or editor) to specify a range of exciting features; we would definitely like the numbered verbatim style for code (that facility is reserved for a future version of this package), and the present little bit of code imposes the `\ruled` option on the built-in `verbatim` environment. (Note that we don't yet deal with `verbatim*`, which is in itself an option to the `plain` original.)

We start by saving various bits and bobs whose operation we're going to subvert.

```

1740 %\let\@TBverbatim\verbatim
1741 \let\@TBverbatim\verbatim
1742 \let\@TBendverbatim\endverbatim

```

Impose an optional argument on the environment.

We start the macro with `\par` to avoid a common error: if the optional argument is `\small`, and the document has no blank line before the verbatim block, we don't want that preceding paragraph to be set with `\small`'s line spacing.

(`\obeylines` added to prevent the `\futurelet` from propagating into the body of the verbatim, thus causing lines that start with odd characters (like `#` or even `\`) to behave peculiarly.)

```

1743 \def\verbatim{\par\obeylines
1744   \futurelet\reserved@a\@switch@sqbverbatim}
1745 %
1746 \def\@switch@sqbverbatim{\ifx\reserved@a[%]
1747   \expandafter\@sqbverbatim\else
1748   \def\reserved@b{\@sqbverbatim[]}\expandafter\reserved@b\fi}
1749 %
1750 \def\@sqbverbatim[#1]{%

```

The optional argument consists entirely of functions that modify the appearance of the environment. Following the `plain` style, we define the functions we can execute in the optional argument here.

The command `\ruled` tells us that there should be rules above and below the verbatim block.

```

1751   \def\ruled{\let\if@ruled\iftrue}%

```

The command `\makevmeta` says to make `!i...i` do `<...>`.

```

1752   \def\makevmeta{\makeescape! \let\<tubverb@meta \tubverb@clearliglist}
1753   \def\tubverb@meta##1>{\meta{##1}}

```

The default verbatim defines “`ij,-`” as active characters to stop ligatures; remove `ij` from the list so we get normal characters. Just hope that the CM `ij` ligatures aren’t used.

```
1754 \def\tubverb@clearliglist{%
1755   \def\verbatim@nolig@list{\do\‘\do\,\do\’\do\~}%
1756 }
```

Then we execute the arguments we’ve got, and relay to a (hacked) copy of the \LaTeX verbatim environment.

```
1757 #1\@TBverbatim}
```

The built-in environment itself relays to `\@verbatim`, which we’ve subverted to impose our views on appearance.

```
1758 \def\@verbatim{%
```

First, we deal with `\ruled`:

```
1759   \if@ruled\trivlist\item\hrule\kern5\p@\nobreak\fi
```

Now, the code out of the original verbatim environment:

```
1760   \trivlist \item\relax
1761   \if@minipage\else\vskip\parskip\fi
1762   \leftskip\@totalleftmargin\rightskip\z@skip
1763   \parindent\z@\parfillskip\@flushglue\parskip\z@skip
1764   \@@par
1765   \@tempwafalse
1766   \def\par{%
1767     \if@tempswa
1768       \leavevmode \null \@@par\penalty\interlinepenalty
1769     \else
1770       \@tempwatrue
1771       \ifhmode\@@par\penalty\interlinepenalty\fi
1772     \fi}%
1773   \obeylines \verbatim@font \@noligs
1774   \let\do\@makeother \dospecials
1775   \everypar \expandafter{\the\everypar \unpenalty}%
1776 }% end |\@sqbverbatim|
```

To end the environment, we do everything in reverse order: relay via the copy we made of `\endverbatim`, and then finish off the option changes (again `\ruled` only, so far).

```
1777 \def\endverbatim{\@TBendverbatim
1778   \if@ruled\kern5\p@\hrule\endtrivlist\fi}
```

Define the `\if` used by the `\ruled` option:

```
1779 \let\if@ruled\iffalse
```

Finally, if `microtype` is loaded, we want it to be deactivated in verbatim blocks. It often manipulates a leading `\` rather too much, thus messing with the visible fixed-width alignment.

```
1780 \AtBeginDocument{%
1781   \@ifpackageloaded{microtype}
1782     {\g@addto@macro\@verbatim{\microtypesetup{activate=false}}}{ }
1783 }
```

3.24 Bibliography

This is more or less copied verbatim from Glenn Paulley's *chicago.sty* (gnpaulle@bluebox.uwaterloo.ca). It produces an author-year citation style bibliography, using output from the BIBTEX style file based on that by Patrick Daly. It needs extra macros beyond those in standard L^AT_EX to function properly. The form of the bibitem entries is:

```
\bibitem[\protect\citeauthoryear{Jones, Baker, and Smith}
{Jones et al.}{1990}{key}]...
```

The available citation commands are:

```
\cite{key}      → (Jones, Baker, and Smith 1990)
\citeA{key}     → (Jones, Baker, and Smith)
\citeNP{key}    → Jones, Baker, and Smith 1990
\citeANP{key}   → Jones, Baker, and Smith
\citeN{key}     → Jones, Baker, and Smith (1990)
\shortcite      → (Jones et al. 1990)
\citeyear       → (1990)
\citeyearNP     → 1990
```

First of all (after checking that we're to use Harvard citation at all), make a copy of L^AT_EX's default citation mechanism.

```
1784 \if@Harvardcite
1785 \let\@internalcite\cite
```

Normal forms.

```
1786 \def\cite{\def\@citeseppen{-1000}%
1787   \def\@cite##1##2{##1\if@tempswa , ##2\fi}}%
1788   \def\citeauthoryear##1##2##3{##1, ##3}\@internalcite}
1789 \def\citeNP{\def\@citeseppen{-1000}%
1790   \def\@cite##1##2{##1\if@tempswa , ##2\fi}%
1791   \def\citeauthoryear##1##2##3{##1, ##3}\@internalcite}
1792 \def\citeN{\def\@citeseppen{-1000}%
1793   \def\@cite##1##2{##1\if@tempswa , ##2}\else{}}\fi}%
1794   \def\citeauthoryear##1##2##3{##1 (##3)\@citedata}
1795 \def\citeA{\def\@citeseppen{-1000}%
1796   \def\@cite##1##2{##1\if@tempswa , ##2\fi}}%
1797   \def\citeauthoryear##1##2##3{##1}\@internalcite}
1798 \def\citeANP{\def\@citeseppen{-1000}%
1799   \def\@cite##1##2{##1\if@tempswa , ##2\fi}%
1800   \def\citeauthoryear##1##2##3{##1}\@internalcite}
```

Abbreviated forms (using *et al.*)

```
1801 \def\shortcite{\def\@citeseppen{-1000}%
1802   \def\@cite##1##2{##1\if@tempswa , ##2\fi}}%
1803   \def\citeauthoryear##1##2##3{##2, ##3}\@internalcite}
1804 \def\shortciteNP{\def\@citeseppen{-1000}%
1805   \def\@cite##1##2{##1\if@tempswa , ##2\fi}%
1806   \def\citeauthoryear##1##2##3{##2, ##3}\@internalcite}
1807 \def\shortciteN{\def\@citeseppen{-1000}%
1808   \def\@cite##1##2{##1\if@tempswa , ##2}\else{}}\fi}%
1809   \def\citeauthoryear##1##2##3{##2 (##3)\@citedata}
1810 \def\shortciteA{\def\@citeseppen{-1000}%
```

```

1811 \def\cite##1##2{##1\if@tempswa , ##2\fi)}%
1812 \def\citeauthoryear##1##2##3{##2}\@internalcite}
1813 \def\shortciteANP{\def\citeseppen{-1000}%
1814 \def\cite##1##2{##1\if@tempswa , ##2\fi}%
1815 \def\citeauthoryear##1##2##3{##2}\@internalcite}

```

When just the year is needed:

```

1816 \def\citeyear{\def\citeseppen{-1000}%
1817 \def\cite##1##2{##1\if@tempswa , ##2\fi)}%
1818 \def\citeauthoryear##1##2##3{##3}\@citedata}
1819 \def\citeyearNP{\def\citeseppen{-1000}%
1820 \def\cite##1##2{##1\if@tempswa , ##2\fi}%
1821 \def\citeauthoryear##1##2##3{##3}\@citedata}

```

Place commas in-between citations in the same `\citeyear`, `\citeyearNP`, `\citeN`, or `\shortciteN` command. Use something like `\citeN{ref1,ref2,ref3}` and `\citeN{ref4}` for a list.

```

1822 \def\@citedata{%
1823 \ifnextchar [{\@tempswatrue\@citedatax}%
1824 \ifnextchar ]{\@tempswafalse\@citedatax[]}%
1825 }
1826
1827 \def\@citedatax[#1]#2{%
1828 \if@filesw\immediate\write\@auxout{\string\citation{#2}}\fi%
1829 \def\@citea{\@cite{\@for\@citeb:=#2\do%
1830 {\@citea\def\@citea{, }\@ifundefined% by Young
1831 {b@\@citeb}{\bf ?}%
1832 \@warning{Citation ‘\@citeb’ on page \thepage \space undefined}}%
1833 {\csname b@\@citeb\endcsname}}{#1}}%

```

Don't box citations, separate with ; and a space; Make the penalty between citations negative: a good place to break.

```

1834 \def\@citex[#1]#2{%
1835 \if@filesw\immediate\write\@auxout{\string\citation{#2}}\fi%
1836 \def\@citea{\@cite{\@for\@citeb:=#2\do%
1837 {\@citea\def\@citea{; }\@ifundefined% by Young
1838 {b@\@citeb}{\bf ?}%
1839 \@warning{Citation ‘\@citeb’ on page \thepage \space undefined}}%
1840 {\csname b@\@citeb\endcsname}}{#1}}%

```

No labels in the bibliography.

```
1841 \def\@biblabel#1{}
```

Set length of hanging indentation for bibliography entries.

```

1842 \newlength{\bibhang}
1843 \setlength{\bibhang}{2em}

```

Indent second and subsequent lines of bibliographic entries. Stolen from open-bib.sty: `\newblock` is set to `{}`.

```

1844 \newdimen\bibindent
1845 \bibindent=1.5em
1846 \@ifundefined{refname}%
1847 {\newcommand{\refname}{References}}%
1848 {}%

```

For safety's sake, suppress the `\TB@startsection` warnings here...

```

1849 \def\thebibliography#1{% for harvardcite
1850 \let\TB@startsection\TB@safe@startsection
1851 \section*{\refname
1852   \@mkboth{\uppercase{\refname}}{\uppercase{\refname}}}%
1853 \list{[\arabic{enumi}]}{%
1854   \labelwidth\z@ \labelsep\z@
1855   \leftmargin\bibindent
1856   \itemindent -\bibindent
1857   \listparindent \itemindent
1858   \parsep \z@
1859   \usecounter{enumi}}%
1860 \def\newblock{}%
1861 \BibJustification
1862 \frenchspacing % more than just period, see comments below
1863 }

```

`etal` Other bibliography odds and ends.

```

\bibentry 1864 \def\etal{et\,al.\@}
1865 \def\bibentry{%
1866   \smallskip
1867   \hangindent=\parindent
1868   \hangafter=1
1869   \noindent
1870   \sloppy
1871   \clubpenalty500 \widowpenalty500
1872   \frenchspacing
1873 }

```

`\bibliography` Changes made to accommodate TUB file naming conventions

```

\bibliographystyle 1874 \def\bibliography#1{%
1875   \if@filesw
1876     \immediate\write\@auxout{\string\bibdata{\@tubfilename{#1}}}%
1877   \fi
1878   \@input{\jobname.bbl}%
1879 }
1880 \def\bibliographystyle#1{%
1881   \if@filesw
1882     \immediate\write\@auxout{\string\bibstyle{\@tubfilename{#1}}}%
1883   \fi
1884 }

```

`\thebibliography` If the user has asked to use L^AT_EX's default citation mechanism (using the `rawcite` option), we still need to patch `\sloppy` to support justification of the body of the bibliography. We kludge in a call to `\frenchspacing` too, since there is no reason to change only period's `\sfcode`, as L^AT_EX's original `thebibliography` (in `classes.dtx`) does.

By the way, `amsgen.sty` changes `\frenchspacing` to set the `\sfcode` of punctuation character to successively decreasing integers ending at 1001 for comma. Thus its 1006 for period is overwritten to 1000 for `thebibliography`, making `amsgen's \@addpunct` ineffective. Don't know what that means in practice, if anything.

Back here, we also play with *The T_EXbook* since we always have, though that is no longer needed.

```
1885 \else % not harvardcite
1886 \let\TB@origthebibliography\thebibliography
1887 \def\thebibliography{%
1888   \let\TB@startsection\TB@safe@startsection
1889   \def\sloppy{\frenchspacing\BibJustification}%
1890   \TB@origthebibliography} % latex's thebibliography now reads args.
1891 \fi % not harvardcite
```

`\BibJustification` `\BibJustification` defines how the bibliography is to be justified. The Lamport `\SetBibJustification` default is simply “sloppy”, but we regularly find some sort of ragged right setting `\TB@sloppy` is appropriate. (`\BibJustification` is nevertheless reset to its default value at the start of a paper.)

```
1892 \let\TB@sloppy\sloppy
1893 \let\BibJustification\TB@sloppy
1894 \newcommand{\SetBibJustification}[1]{%
1895   \renewcommand{\BibJustification}{#1}%
1896 }
1897 \ResetCommands\expandafter{\the\ResetCommands
1898   \let\BibJustification\TB@sloppy
1899 }
```

3.25 Registration marks

We no longer use these since Cadmus does not want them.

```
1900 \def\HorzR@gisterRule{\vrule \@height 0.2\p@ \@depth\z@ \@width 0.5in }
1901 \def\DownShortR@gisterRule{\vrule \@height 0.2\p@ \@depth 1pc \@width 0.2\p@ }
1902 \def\UpShortR@gisterRule{\vrule \@height 1pc \@depth\z@ \@width 0.2\p@ }
```

“T” marks centered on top and bottom edges of paper

```
1903 \def\ttopregister{\dlap{%
1904   \hb@xt@\trimwd{\HorzR@gisterRule \hfil \HorzR@gisterRule
1905     \HorzR@gisterRule \hfil \HorzR@gisterRule}%
1906   \hb@xt@\trimwd{\hfil \DownShortR@gisterRule \hfil}}}
1907 \def\tbotregister{\ulap{%
1908   \hb@xt@\trimwd{\hfil \UpShortR@gisterRule \hfil}%
1909   \hb@xt@\trimwd{\HorzR@gisterRule \hfil \HorzR@gisterRule
1910     \HorzR@gisterRule \hfil \HorzR@gisterRule}}}
1911 \def\topregister{\ttopregister}
1912 \def\botregister{\tbotregister}
```

3.26 Running headers and footers

```
1913 \def\rtitlex{\def\texttub##1{\normalsize\textrm{##1}}\TUB, \volx}
```

registration marks; these are temporarily inserted in the running head

```
1914 \def\MakeRegistrationMarks{}
1915 \def\UseTrimMarks{%
1916   \def\MakeRegistrationMarks{%
1917     \ulap{\rlap{%
1918       \vbox{\dlap{\vbox to\trimlgt{\vfil\botregister}}%
1919       \topregister\vskip \headmargin \vskip 10\p@}}}}%
```

```

1920 }
1921 % put issue identification and page number in header.
1922 \def\@oddhead{\MakeRegistrationMarks
1923   \frenchspacing
1924   \normalsize\csname normalshape\endcsname\rm \tubheadhook
1925   \rtitlex\quad \midrttitle\hfil
1926   \rtitlenexttopage\quad\tubtypesetpageno{\thepage}}
1927 \def\@evenhead{\MakeRegistrationMarks
1928   \frenchspacing
1929   \normalsize\csname normalshape\endcsname\rm \tubheadhook
1930   \tubtypesetpageno{\thepage}\quad\rtitlenexttopage
1931   \hfil\midrttitle \quad\rtitlex}
1932
1933 % Put a ? into the page number in the headers in all but a final run, so
1934 % people aren't tempted to cite it.
1935 %
1936 \newcommand{\tubtypesetpageno}[1]{%
1937   \ifnum #1>900
1938     % in CM, numerals are exactly .5em.
1939     %
1940     % The \texorpdfstring avoids the usual hyperref warning:
1941     % Token not allowed in a PDF string ... removing '\@ifnextchar'
1942     \texorpdfstring{\makebox[.5em][l]{\small ?}}{?}%
1943     %
1944     \textsl{\@arabic{\numexpr#1-900\relax}}% assuming e-tex
1945   \else
1946     \@arabic{#1}%
1947   \fi
1948 }
1949 %
1950 % The above changes the page number in the headers and tocs. It does not
1951 % change the page number in cross-references, which will still show up
1952 % as '901' instead of '?1'. In order to do that, we'd have to redefine
1953 % |\thepage| (https://tex.stackexchange.com/questions/687258).
1954 %
1955 % The problem is that |\thepage| is not expected to contain typesetting
1956 % commands like |\makebox| and |\textsl|, but to expand to the simple
1957 % page number (in whatever form). For example, when redefining
1958 % |\thepage| to the above, terminal warnings then look like:
1959 % |LaTeX Warning: Citation 'foo' on page \makebox [.5em][l]{...|
1960 % losing the actual page number.
1961 %
1962 % So apparently there is no way to add the ? correctly in all contexts.
1963 %
1964 % BTW, such a custom page number format would also break makeindex,
1965 % etc., but for that we could provide the information. Per Ulrike:
1966 %\usepackage{index}
1967 %\newcommand\specialthepage{\interval{\value{page}-900}}
1968 %\newindex[specialthepage]*{default}{idx}{ind}{Index}
1969
1970 % can be used to reset the font, e.g., tb98kuester.
1971 \def\tubheadhook{}
1972
1973 % in case the official \author is too verbose for the footline.

```

```

1974 % (the \shortauthor / \rhAuthor stuff is only enabled for proceedings, fix!)
1975 \def\tubrunningauthor{\@author}
1976
1977 % put title and author in footer.
1978 \def@tubrunningfull{%
1979   \def@oddfoot{% make line break commands produce a normal space
1980     \def\{\unskip\ \ignorespaces}%
1981     \let\newline=\%
1982     \tubtypesetdoi
1983     \frenchspacing\hfil\rhTitle}
1984 \def@evenfoot{%
1985   \let\thanks@gobble
1986   \tubtypesetdoi
1987   \frenchspacing\tubrunningauthor\hfil}
1988 }
1989
1990 % empty footer.
1991 \def@tubrunningminimal{%
1992   \def@oddfoot{\tubtypesetdoi\hfil}%
1993   \def@evenfoot{\tubtypesetdoi\hfil}%
1994 }
1995
1996 % empty footer and header.
1997 \def@tubrunningoff{%
1998   \@tubrunningminimal
1999   \def@oddhead{\hfil}%
2000   \def@evenhead{\hfil}%
2001 }
2002
2003 \def\ps@headings{}
2004 \pagestyle{headings}

```

Typeset the doi. The format we decided on looks like: <https://doi.org/10.47397/tb/41-3/tb129> where the last element is the \jobname.

We put this below the footline. The footer definitions above specify that it is always called, even if the regular footer is empty.

If the article started in the second column (option [secondcolstart]), we manually move the doi over.

We do not check for validity of \volno, \issno, \jobname. For testing, etc., seems simpler to just typeset what we've got. Other scripts will verify consistency.

```

2005 %
2006 \def\tubdoiprefix{10.47397/tb} % the number crossref assigned us
2007 \def\tubabovedoi{} % fudge spacing or whatever.
2008 %
2009 \def\tubtypesetdoi{%
2010   \iftubomitdoioption\else % do if not explicit omission ...
2011     \ifnum\volno>0 % and if being run for production ...
2012       \iftubfinaloption % and if [final], even if pageno>900
2013         \vbox to Opt{% don't impact normal layout
2014           \edef\thedoi{% but make url invalid if >900
2015             \ifnum\count0>900 example.org%
2016               \else doi.org\fi
2017             /\tubdoiprefix/\volno-\issno/\jobname}%
2018           \scriptsize

```

```

2019         \vskip\baselineskip
2020         \tubabovedoi
2021         \iftubsecondcolstart \moveright \tubcolwidthandgutter \fi
2022         \rlap{\expandafter\tbsurl\expandafter{\thedoi}}%
2023         \vss
2024     }%
2025     \fi % tubfinaloption
2026     \fi % volno>0
2027     \fi % !tubomitdooption
2028     \global\let\tubtypesetdoi\empty % only do it once, no matter what.
2029 }
2030 %
2031 %

```

3.27 Output routine

Modified to alter `\brokenpenalty` across columns

Comment We’re playing with fire here: for example, `\outputdblcol` has changed in L^AT_EX 2_ε for 1995/06/01 (with the use of `\hb@xt@`). *This* time there’s no semantic change, but...

```

2032 \def\outputdblcol{\if@firstcolumn \global\@firstcolumnfalse
2033     \global\setbox\@leftcolumn\box\@outputbox
2034     \global\brokenpenalty10000
2035 \else \global\@firstcolumntrue
2036     \global\brokenpenalty100
2037     \setbox\@outputbox\vbox{\hb@xt@\textwidth{\hb@xt@\columnwidth
2038         {\box\@leftcolumn \hfil}\hfil \vrule \@width\columnseprule\hfil
2039         \hb@xt@\columnwidth{\box\@outputbox \hfil}}}\@combinedblfloats
2040     \@outputpage \begingroup \@dblfloatplacement \@startdblcolumn
2041     \@whiles\if@fcolmade \fi{\@outputpage\@startdblcolumn}\endgroup
2042     \fi}

```

3.28 Font-related definitions and machinery

These are mostly for compatibility with plain `tugboat.sty`

```

2043 \newif\ifFirstPar      \FirstParfalse
2044 \def\smc{\sc}
2045 \def\ninepoint{\small}
2046 \</classtail>

```

`\SMC` *isn’t* small caps—Barbara Beeton says she thinks of it as “big small caps”. She says (modulo capitalisation of things...):

For the things it’s used for, regular small caps are not appropriate—they’re too small. Real small caps are appropriate for author names (and are so used in continental bibliographies), section headings, running heads, and, on occasion, words to which some emphasis is to be given. `\SMC` was designed to be used for acronyms and all-caps abbreviations, which look terrible in small caps, but nearly as bad in all caps in the regular text size. The principle of using “one size smaller” than the text size is similar to the design of caps in German—where they are smaller relative to lowercase than are caps in fonts intended for

English, to improve the appearance of regular text in which caps are used at the heads of all nouns, not just at the beginnings of sentences.

We define this in terms of the memory of the size currently selected that's maintained in `\@currsize`: if the user does something silly re. selecting fonts, we'll get the wrong results. The following code is adapted from an old version of `resize.sty` by Donald Arseneau and Matt Swift. (The order of examination of `\@currsize` is to get the commonest cases out of the way first.)

```

2047 ⟨*common⟩
2048 \DeclareRobustCommand{\SMC}{%
2049   \ifx\@currsize\normalsize\small\else
2050   \ifx\@currsize\small\footnotesize\else
2051   \ifx\@currsize\footnotesize\scriptsize\else
2052   \ifx\@currsize\large\normalsize\else
2053   \ifx\@currsize\Large\large\else
2054   \ifx\@currsize\LARGE\Large\else
2055   \ifx\@currsize\scriptsize\tiny\else
2056   \ifx\@currsize\tiny\tiny\else
2057   \ifx\@currsize\huge\LARGE\else
2058   \ifx\@currsize\Huge\huge\else
2059   \small\SMC@unknown@warning
2060 \fi\fi\fi\fi\fi\fi\fi\fi\fi\fi
2061 }
2062 \newcommand{\SMC@unknown@warning}{\TBWarning{\string\SMC: nonstandard
2063   text font size command -- using \string\small}}
2064 \newcommand{\textSMC}[1]{\SMC #1}

The \acro command uses \SMC as it was originally intended. Since these
things are uppercase-only, it fiddles with the spacefactor after inserting its text.

2065 \DeclareRobustCommand{\acro}[1]{\textSMC{#1}\@}
2066 ⟨/common⟩

```

3.29 Editor's notes and other footnotes

`\EdNote` allows the editor to enter notes in the text of a paper. If the command is given something that appears like an optional argument, the entire text of the note is placed in square brackets. (Yes, it really is!)

```

2067 ⟨*classtail⟩
2068 \def\xEdNote{ {\EdNoteFont Editor's note:\enspace } }
2069 \def\EdNote{\@ifnextchar [%]
2070   {%
2071     \ifvmode
2072     \smallskip\noindent\let\@EdNote@\@EdNote@v
2073     \else
2074     \unskip\quad\def\@EdNote@{\unskip\quad}%
2075     \fi
2076     \@EdNote
2077   }%
2078 \xEdNote
2079 }
2080 \long\def\@EdNote[#1]{%
2081   [\thinspace\xEdNote\ignorespaces
2082   #1%

```

```

2083 \unskip\thinspace]%
2084 \@EdNote@
2085 }
2086 \def\@EdNote@v{\par\smallskip}

Macros for Mittelbach's self-documenting style
2087 \def\SelfDocumenting{%
2088 \setlength\textwidth{31pc}
2089 \onecolumn
2090 \parindent \z@
2091 \parskip 2\p@\@plus\p@\@minus\p@
2092 \oddsidemargin 8pc
2093 \evensidemargin 8pc
2094 \marginparwidth 8pc
2095 \toks@ \expandafter{\@oddhead}%
2096 \xdef\@oddhead{\hss\hb@xt@\pagewd{\the\toks@}}%
2097 \toks@ \expandafter{\@evenhead}%
2098 \xdef\@evenhead{\hss\hb@xt@\pagewd{\the\toks@}}%
2099 \def\ps@titlepage{}
2100 }
2101 \def\ps@titlepage{}
2102
2103 \long\def\@makefntext#1{\parindent 1em\noindent\hb@xt@2em{}}%
2104 \llap{\@makefnmark}\null$\mskip5mu$#1}
2105
2106 %% \long\def\@makefntext#1{\parindent 1em
2107 %% \noindent
2108 %% \hb@xt@2em{\hss\@makefnmark}%
2109 %% \hskip0.27778\fontdimen6\textfont\z@\relax
2110 %% #1%
2111 %% }

```

`\tubraggedfoot` To get a ragged-right footnote.

```
2112 \newcommand{\tubraggedfoot}{\rightskip=\raggedskip plus\raggedstretch\relax}
```

`\creditfootnote` Sometimes we want the label “Editor’s Note:”, sometimes not.

```

\supportfootnote 2113 \def\creditfootnote{\nomarkfootnote\xEdNote}
2114 \def\supportfootnote{\nomarkfootnote\relax}

```

General macro `\nomarkfootnote` to make a footnote without a reference mark, etc. #1 is an extra command to insert, #2 the user’s text.

```

2115 \gdef\nomarkfootnote#1#2{\begingroup
2116 \def\thefootnote{}%
2117 % no period, please, also no fnmark. Also no hyperref warning.
2118 \def\@makefntext##1{##1}%
2119 \def\Hy@Warning##1{}%
2120 \footnotetext{\noindent #1#2}%
2121 \endgroup}

```

3.30 Initialization

If we’re going to use Harvard-style bibliographies, we set up the bibliography style: the user doesn’t get any choice. (Not recommended.)

```

2122 \if@Harvardcite
2123 \AtBeginDocument{%
2124 \bibliographystyle{ltugbib}%
2125 }
2126 \fi
2127 \authornumber\z@
2128 \let\@signature\@defaultsignature
2129 \InputIfFileExists{ltugboat.cfg}
2130 {\TBInfo{Loading ltugboat.cfg configuration information}}
2131 {}
2132 </classtail>

```

4 L^AT_EX 2_ε proceedings class (no longer used)

\@tugclass Make the code of ltugboat.cls (when we load it) say it's really us:

```

2133 < *ltugproccls>
2134 \def\@tugclass{ltugproc}

```

\if@proc@sober TUG'96 proceedings switched to more sober headings still; so the tug95 option
\if@proc@numerable establishes the original state. In the absence of any other guidance, we use the '96
for TUG'97 proceedings, but also allow numbering of sections.

```

2135 \newif\if@proc@sober
2136 \newif\if@proc@numerable
2137 \DeclareOption{tug95}{%
2138 \@proc@soberfalse
2139 \@proc@numerablefalse
2140 }
2141 \DeclareOption{tug96}{%
2142 \@proc@sobertrue
2143 \@proc@numerablefalse
2144 }
2145 \DeclareOption{tug97}{%
2146 \@proc@sobertrue
2147 \@proc@numerabletrue
2148 }
2149 \DeclareOption{tug2002}{%
2150 \@proc@sobertrue
2151 \@proc@numerabletrue
2152 \let\if@proc@numbersec\iftrue
2153 \PassOptionsToClass{numbersec}{ltugboat}%
2154 }

```

\if@proc@numbersec If we're in a class that allows section numbering (the actual check occurs after
\ProcessOptions, we can have the following:

```

2155 \DeclareOption{numbersec}{\let\if@proc@numbersec\iftrue
2156 \PassOptionsToClass{numbersec}{ltugboat}%
2157 }
2158 \DeclareOption{nonumber}{\let\if@proc@numbersec\iffalse
2159 \PassOptionsToClass{nonumber}{ltugboat}%
2160 }

```

`\ifTB@title` If we have a paper for which we want to create a detached title, with an editor’s note, and then set the paper separately, we use option `notitle`.

```
2161 \newif\ifTB@title
2162 \DeclareOption{title}{\TB@titeltrue}
2163 \DeclareOption{notitle}{\TB@titlefalse}
2164 \AtBeginDocument{\stepcounter{page}}
```

There are these people who seem to think `tugproc` is an option as well as a class...

```
2165 \DeclareOption{tugproc}{%
2166   \ClassWarning{\@tugclass}{Option \CurrentOption\space ignored}%
2167 }
```

All other options are simply passed to `ltugboat`...

```
2168 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{ltugboat}}
```

If there’s a `tugproc` defaults file, input it now: it may tell us which year we’re to perform for... (Note: this code *is* millenium-proof. It’s not terribly classy for years beyond 2069, but then I’m not going to be around then—this will be an interesting task for a future `TeXie`...)

```
2169 \InputIfFileExists{\@tugclass.cfg}{\ClassInfo{ltugproc}%
2170   {Loading ltugproc.cfg configuration information}}{}
2171 \ifundefined{TUGprocExtraOptions}{%
2172   {\let\TUGprocExtraOptions\empty}%
2173   {\edef\TUGprocExtraOptions{,\TUGprocExtraOptions}}}
```

`\tugProcYear` Now work out what year it is

```
2174 \@tempcnta\year
2175 \ifnum\@tempcnta<2000
2176   \divide\@tempcnta by100
2177   \multiply\@tempcnta by100
2178   \advance\@tempcnta-\year
2179   \@tempcnta-\@tempcnta
2180 \fi
```

And use that for calculating a year for us to use.

```
2181 \edef\@tempa{\noexpand\providecommand\noexpand\tugProcYear
2182   {\ifnum10>\@tempcnta0\fi\the\@tempcnta}}
2183 \@tempa
2184 \ClassInfo{ltugproc}{Class believes year is
2185   \expandafter\ifnum\tugProcYear<2000 19\fi\tugProcYear
2186   \@gobble}
```

Check that this is a “sensible year” (one for which we have a class option defined). If not, make it a ‘suitable’ year, in particular, one that allows numbering sections.

```
2187 \expandafter\ifx\csname ds@tug\tugProcYear\endcsname\relax
2188   \def\tugProcYear{2002}\fi
```

Now execute the default ‘year’ option and get on with processing. Note that this command gets ignored if the configuration file specifies a silly year.

```
2189 \ExecuteOptions{tug\tugProcYear,title\TUGprocExtraOptions}
2190 \ProcessOptions
```



```

2191 \if@proc@numbersec
2192 \if@proc@numerable
2193 \else
2194   \ClassWarning{\@tugclass}{This year's proceedings may not have
2195     numbered sections}%
2196 \fi
2197 \fi

Call ltugboat, adding whichever section numbering option is appropriate
2198 \LoadClass[\if@proc@numbersec numbersec\else nonumber\fi]{ltugboat}

```

4.1 Proceedings titles

`\maketitle` There's no provision for 'section titles' in proceedings issues, as there are in *TUG-boat* proper. Note the tedious L^AT_EX bug-avoidance in the `\@TB@test@document` macro.

```

2199 \def\maketitle{%
2200 \begingroup

first, a bit of flim-flam to generate an initial value for \rhAuthor (unless the
user's already given one with a \shortAuthor comand).
2201 \ifshortAuthor\else
2202 \global\let\rhAuthor\@empty
2203 \def@g@addto@rhAuthor##1{%
2204   \begingroup
2205     \toks@expandafter{\rhAuthor}%
2206     \let\thanks@gobble
2207     \protected@xdef\rhAuthor{\the\toks@##1}%
2208   \endgroup
2209 }%
2210 \@getauthorlist@g@addto@rhAuthor
2211 \fi

now, the real business of setting the title
2212 \ifTB@title
2213 \setcounter{footnote}{0}%
2214 \renewcommand{\thefootnote}{\fnsymbol\c@footnote}%
2215 \if@tubtwocolumn
2216 \twocolumn[\@maketitle]%
2217 \else
2218 \onecolumn
2219 \global\@topnum\z@
2220 \@maketitle
2221 \fi
2222 \@thanks
2223 \thispagestyle{TBproctitle}
2224 \fi
2225 \endgroup
2226 \TB@madetitletrue
2227 }
2228 \newif\ifTB@madetitle \TB@madetitlefalse

```

`\@TB@test@document` `\@TB@test@document` checks to see, at entry to `\maketitle`, if we've had `\begin{document}`. See L^AT_EX bug report latex/2212, submitted by Robin Fairbairns, for details.

```

2229 \def\@TB@test@document{%
2230   \edef\@tempa{\the\everypar}
2231   \def \@tempb{\@nodocument}
2232   \ifx \@tempa\@tempb
2233     \@nodocument
2234   \fi
2235 }

\AUTHORfont Define the fonts for titles and things
\TITLEfont 2236 \def\AUTHORfont {\large\rmfamily\mdseries\upshape}
\addressfont 2237 \def\TITLEfont {\Large\rmfamily\mdseries\upshape}
\netaddrfont 2238 \def\addressfont{\small\rmfamily\mdseries\upshape}
2239 \def\netaddrfont{\small\ttfamily\mdseries\upshape}

\aboveauthorskip Some changeable skips to permit variability in page layout depending on the par-
\belowauthorskip ticular paper's page breaks.
\belowabstractskip 2240 \newskip\aboveauthorskip \aboveauthorskip=18\p@ \@plus4\p@
2241 \newskip\belowauthorskip \belowauthorskip=\aboveauthorskip
2242 \newskip\belowabstractskip \belowabstractskip=14\p@ \@plus3\p@ \@minus2\p@

\@maketitle The body of \maketitle
2243 \def\@maketitle{%
2244   {\parskip\z@
2245     \frenchspacing
2246     \TITLEfont\raggedright\noindent\@title\par
2247     \count@=0
2248     \loop
2249     \ifnum\count@<\authornumber
2250       \vskip\aboveauthorskip
2251       \advance\count@\@ne
2252       {\AUTHORfont\theauthor{\number\count@}\endgraf}%
2253       \addressfont\theaddress{\number\count@}\endgraf
2254       {%
2255         \allowhyphens
2256         \hangindent1.5pc
2257         \netaddrfont\thenetaddress{\number\count@}\endgraf
2258         \hangindent1.5pc
2259         \thePersonalURL{\number\count@}\endgraf
2260       }%
2261     \repeat
2262   \vskip\belowauthorskip}%
2263 \if@abstract
2264   \centerline{\bfseries Abstract}%
2265   \vskip.5\baselineskip\rmfamily
2266   \@tubonecolumnabstractstart
2267   \the\abstract@toks
2268   \@tubonecolumnabstractfinish
2269   \global\@ignoretrue
2270 \fi
2271 \vskip\belowabstractskip
2272 \global\@afterindentfalse\aftergroup\@afterheading
2273 }

```

abstract (*env.*) Save the contents of the abstract environment in the token register `\abstract@toks`.

`\if@abstract` We need to do this, as otherwise it may get ‘typeset’ (previously, it got put in a `\abstract@toks`

box) before `\begin{document}`, and experiments prove that this means our shiny new `\SMC` doesn't work in this situation.

If you need to understand the ins and outs of this code, look at the place I lifted it from: `tabularx.dtx` (in the tools bundle). The whole thing pivots on having stored the name of the 'abstract' environment in `\@abstract@`

```
2274 \newtoks\abstract@toks \abstract@toks{}
2275 \let\if@abstract\iffalse
2276 \def\abstract{%
```

we now warn unsuspecting users who provide an `abstract` environment *after* the `\maketitle` that would typeset it...

```
2277 \ifTB@madetitle
2278   \TBWarning{abstract environment after \string\maketitle}
2279 \fi
2280 \def\@abstract@{abstract}%
2281 \ifx\@currenvir\@abstract@
2282 \else
2283   \TBEError{\string\abstract\space is illegal:%
2284     \MessageBreak
2285     use \string\begin{\@abstract@} instead}%
2286   {\@abstract@\space may only be used as an environment}
2287 \fi
2288 \global\let\if@abstract\iftrue
2289 {\ifnum0='}\fi
2290 \@abstract@getbody}
2291 \let\endabstract\relax
```

`\@abstract@getbody` gets chunks of the body (up to the next occurrence of `\end`) and appends them to `\abstract@toks`. It then uses `\@abstract@findend` to detect whether this `\end` is followed by `{abstract}`

```
2292 \long\def\@abstract@getbody#1\end{%
2293   \global\abstract@toks\expandafter{\the\abstract@toks#1}%
2294   \@abstract@findend}
```

Here we've got to `\end` in the body of the abstract. `\@abstract@findend` takes the 'argument' of the `\end` do its argument.

```
2295 \def\@abstract@findend#1{%
2296   \def\@tempa{#1}%
```

If we've found an 'end' to match the 'begin' that we started with, we're done with gathering the abstract up; otherwise we stuff the end itself into the token register and carry on.

```
2297 \ifx\@tempa\@abstract@
2298   \expandafter\@abstract@end
2299 \else
```

It's not `\end{abstract}`—check that it's not `\end{document}` either (which signifies that the author's forgotten about ending the abstract)

```
2300   \def\@tempb{document}%
2301   \ifx\@tempa\@tempb
2302     \TBEError{\string\begin{\@abstract@}
2303       ended by \string\end{\@tempb}}%
2304     {You've forgotten \string\end{\@abstract@}}
```

```

2305     \else
2306         \global\abstract@toks\expandafter{\the\abstract@toks\end{#1}}%
2307         \expandafter\expandafter\expandafter\@abstract@getbody
2308     \fi
2309 \fi}

```

In our case, the action at the ‘proper’ \end is a lot simpler than what appears in `tabularx.dtx` ... don’t be surprised!

```

2310 \def\@abstract@end{\ifnum0='{\fi}%
2311 \expandafter\end\expandafter{\@abstract@}}

```

`\makesignature` \makesignature is improper in proceedings, so we replace it with a warning (and a no-op otherwise)

```

2312 \renewcommand{\makesignature}{\TBWarning
2313     {\string\makesignature\space is invalid in proceedings issues}}

```

`\ps@TBproctitle` Now we define the running heads in terms of the `\rh*` commands.

```

\ps@TBproctitle 2314 \def\ps@TBproctitle{\let\@oddhead\MakeRegistrationMarks
\ps@TBproc      2315 \let\@evenhead\MakeRegistrationMarks
\dopagecommands 2316 \TB@definefeet
\setpagecommands 2317 }
\TB@definefeet 2318 \def\ps@TBproc{%
\pfoottext     2319 \def\@oddhead{\MakeRegistrationMarks
\rfoottext    2320     {%
                2321         \hfil
                2322         \def\{\unskip\ \ignorespaces}%
                2323         \rmfamily\rhTitle
                2324     }%
                2325 }%
                2326 \def\@evenhead{\MakeRegistrationMarks
                2327     {%
                2328         \def\{\unskip\ \ignorespaces}%
                2329         \rmfamily\rhAuthor
                2330         \hfil
                2331     }%
                2332 }%
                2333 \TB@definefeet
                2334 }
                2335
                2336 \advance\footskip8\p@    % for deeper running feet
                2337
                2338 \def\dopagecommands{\csname @@pagecommands\number\c@page\endcsname}
                2339 \def\setpagecommands#1#2{\expandafter\def\csname @@pagecommands#1\endcsname
                2340     {#2}}
                2341 \def\TB@definefeet{%
                2342     \def\@oddfont{\ifpreprint\pfoottext\hfil\Now\hfil\thepage
                2343         \else\rfoottext\hfil\thepage\fi\dopagecommands}%
                2344     \def\@evenfont{\ifpreprint\thepage\hfil\Now\hfil\pfoottext
                2345         \else\thepage\hfil\rfoottext\fi\dopagecommands}%
                2346 }
                2347
                2348 \def\pfoottext{\smc Preprint}:
                2349     Proceedings of the \volyr{} Annual Meeting}
                2350 \def\rfoottext{\normalfont\TUB, \volx\Dash

```

```

2351   {Proceedings of the \volyr{} Annual Meeting}}
2352
2353 \pagestyle{TBproc}

```

4.2 Section divisions

Neither sections nor subsections are numbered by default in the proceedings style: note that this puts a degree of stress on authors' natural tendency to reference sections, which is a matter that needs attention. The class option NUMBERSEC once again numbers the sections (and noticeably changes the layout).

```

2354 \if@proc@numbersec
2355 \else
2356   \setcounter{secnumdepth}{0}
2357 \fi

```

Otherwise, the `\section` command is pretty straightforward. However, the `\subsection` and `\subsubsection` are run-in, and we have to remember to have negative stretch (and shrink if we should in future choose to have one) on the `<afterskip>` parameter of `\@startsection`, since the whole skip is going to end up getting negated. We use `\TB@startsection` to detect inappropriate forms.

```

2358 \if@proc@numbersec
2359 \else
2360   \if@proc@sober
2361     \def\section
2362       {\TB@nolimelabel
2363         \TB@startsection{section}%
2364           1%
2365           \z@%
2366           {-8\p@\@plus-2\p@\@minus-2\p@}%
2367           {6\p@}%
2368           {\normalsize\bfseries\raggedright}}
2369   \else
2370     \def\section
2371       {\TB@nolimelabel
2372         \TB@startsection{section}%
2373           1%
2374           \z@%
2375           {-8\p@\@plus-2\p@\@minus-2\p@}%
2376           {6\p@}%
2377           {\large\bfseries\raggedright}}
2378   \fi
2379   \def\subsection
2380     {\TB@nolimelabel
2381       \TB@startsection{subsection}%
2382         2%
2383         \z@%
2384         {6\p@\@plus 2\p@\@minus2\p@}%
2385         {-5\p@\@plus -\fontdimen3\the\font}%
2386         {\normalsize\bfseries}}
2387   \def\subsubsection
2388     {\TB@nolimelabel
2389       \TB@startsection{subsubsection}%
2390         3%

```

```
2391 \parindent%
2392 \z@%
2393 {-5\p@\@plus -\fontdimen3\the\font}%
2394 {\normalsize\bfseries}}
2395 \fi
2396 </ltugproccls>
```

5 Plain T_EX styles

```
2397 <*tugboatsty>
2398 % err...
2399 </tugboatsty>
2400 <*tugprocsty>
2401 % err...
2402 </tugprocsty>
```

6 The L^AT_EX 2_ε compatibility-mode style files

```
2403 <*ltugboatsty>
2404 \@obsoletedefile{ltugboat.cls}{ltugboat.sty}
2405 \LoadClass{ltugboat}
2406 </ltugboatsty>
2407 <*ltugprocsty>
2408 \@obsoletedefile{ltugproc.cls}{ltugproc.sty}
2409 \LoadClass{ltugproc}
2410 </ltugprocsty>
```